

TEX support for the FontSite 500 CD

30 May 2003 · Version 1.1

Christopher League

Here is how much of TeX's memory you used:

3474 strings out of 12477

34936 string characters out of 89681

55201 words of memory out of 263001

3098 multiletter control sequences out of 10000+0

1137577 words of font info for 1647 fonts, out of 2000000 for 2000■

Copyright © 2002 Christopher League league@contrapunctus.net

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notice and this permission notice are preserved on all copies.

The FontSite and The FontSite 500 CD are trademarks of *Title Wave Studios*, 3841 Fourth Avenue, Suite 126, San Diego, CA 92103.

Table of Contents

1	Copying	1
2	Announcing	2
	User-visible changes	3
3	Installing	5
3.1	Find a suitable texmf tree	5
3.2	Copy files into the tree	5
3.3	Tell drivers how to use the fonts	6
3.4	Test your installation	7
3.5	Other applications	8
3.6	Notes for Windows users	9
3.7	Notes for Mac users	9
4	Using	10
4.1	With TeX	10
4.2	Accessing expert sets	II
4.3	Using CombiNumerals	II
5	Wish List	12
6	Faces	13
	Abbot Old Style	13
	Arnold Boecklin	13
	Ad Lib	13
	Advertisers Gothic	13
	Algerian	13
	Alte Schwabacher	13
	American Uncial	14
	URW Antiqua	14
	Arrows	15
	Arrows X	16
	Arrows Y	17
	Antique Olive	18
	Avalon	18
	Bank Gothic	19
	Barbedor	19
	Basel	20
	Baskerville	20
	Belwe	21
	Ben Franklin	21

Benjamin Gothic	21
Bergamo	22
Bernhard Modern	22
Bernhard Tango	22
Binner	22
Bodoni	23
Brody	23
Caslon Antique	23
Caslon	24
Century Old Style	24
Chantilly	25
Chap Borders	25
Cheltenham	26
Chisel	26
Chromatic	26
Churchward	27
Cipollini	27
Clarendon	27
ATF Clearface	28
Collner Grotesk	28
CombiNumerals	29
Commercial Script	30
Copperplate Gothic	30
Cori Sans	30
Coronado	30
Davida	30
Deanna Script	31
Deanna Borders	31
Deanna Flowers	31
Della Robbia	32
Delphian	32
Dresden	32
Dynamo	32
Egyptian	32
Eldamar	33
Elefont	33
Embie	33
Empire ATF	33
Engravers Gothic	33
Engravers Litho	34
Engravers Old English	34
Engravers Roman	34
English Serif	34
Erbar Deco	35
Fette Engschrift	35
Fette Fraktur	35
Fette Gotisch	35
Fette Mittelschrift	35

Flanders	36
Franklin Gothic	36
FontSite Sans	37
Function	38
Function Script	38
Gallia	39
Garamond Condensed	39
Garamond	39
Gillies Gothic	40
Glaser Stencil	40
Glytus	40
Goudy Handtooled	40
Goudy Old Style	41
Goudy Sans	41
URW Grotesk	42
Handel Gothic	42
Harlem Nights	42
Hobo	42
Honeymoon	42
Horndon	43
Hudson	43
Huxley Vertical	43
Isabell	43
Jenson Recut	43
Jessica	44
LanstonBell	44
Lanston Koch	44
URW Latino	45
Legend	45
Letter Gothic	45
Linden	45
Linedraw Fixed	46
Litho Antique	47
Lydian	47
Melville	47
Mercedes	48
Micro Square	48
Mistral	48
Modern 216	49
Mona Lisa	49
New Baskerville	49
Nicolas Cochin	49
News Gothic	50
Nissan	50
OCR	50
Olde English	50
Old Town	51
Onyx	51

Opus	51
Orator	51
Paddington	51
URW Palladio	52
Parisian	52
Park Avenue	52
ATF Peignot	52
Pericles	52
Phyllis	53
Picto	53
Pinocchio	54
Plakette	54
Platinum Blonde	54
Platz	54
Plaza	55
Publicity	55
Reflex	55
Road Signs	56
Rosslaire	57
Salut	57
Savoy	57
Schnittger	57
Sean Symbols	58
Serific	59
Stop	59
Struktur	60
Tarrington	60
Teresita Script	60
Ticonderoga	60
Toxica	60
Typewriter	61
Typo Upright	61
Unitus	62
University Old Style	63
VAG Rounded	63
Vendome	63
Vivaldi	63
Walbaum	64

7	Classifications	65
7.1	Expert Sets	65
7.2	Small Caps	66
7.3	Old-Style Figures	67
7.4	Weights and Widths	68
7.5	Garalde/Venetian	69
7.6	Transitional	69
7.7	Modern/Didone	70
7.8	Free Form	70
7.9	Sans Serif	71
7.10	Slab Serif	72
7.11	Blackletter	72
7.12	Uncial/Mediaeval	72
7.13	Script	73
7.14	Decorative	74
7.15	Symbol	76
8	Index	77

1 Copying

Unfortunately, the licensing situation is somewhat complicated. There are essentially four distinct components with four different licenses:

- ❶ The font outlines on the CD are covered by a license from Title Wave Studios. You must purchase the CD and may not redistribute the fonts. Please see the file ‘`license.txt`’ on the CD.
- ❷ The scripts and control files in the ‘`fs500src`’ distribution are *free software*; you may redistribute and/or modify them under the terms of the GNU General Public License (GPL). This license does *not* permit incorporating the scripts into proprietary programs. Please see the file ‘`COPYING`’ in the source distribution.
- ❸ The TeX font metrics, virtual font files, L^AT_EX font definitions and style files from the ‘`fs500tex`’ distribution are contributed to the public domain. Although these files are the results of executing GPL code, they are not *derivative works* thereof and are thus *not covered* by the GPL. If anything, they are derivative works of the font metrics on the CD. You may use and distribute them without restriction. (If you somehow include them in a commercial system, I would appreciate an acknowledgment.)
- ❹ Finally, the manual is copyrighted, but permission is granted to make and distribute verbatim copies.

2 Announcing

The FontSite 500 CD is a collection of 512 professional quality Type 1 (and TrueType) fonts licensed from the SoftMaker/ATF library and available for a very reasonable price from <http://www.fontsite.com/>. The CD contains many essential faces and extended families with expert sets, true small caps, old-style figures, a range of weights and widths, and so on.

I developed a series of scripts and control files that drive ‘fontinst’ to generate all the TeX support files and font maps. Now, a huge variety of essential typefaces are available to TeX/LaTeX users who purchase the FontSite CD and download these files.

- The package supports the LaTeX New Font Selection Scheme (NFSS) using the TeX text (OTI), text companion (TSI), Cork (TI), and/or tex’n’ansi (LYI) encodings.
- A custom Postscript encoding vector (upward compatible from TeX base 1) exposes glyphs (such as ∞ , π , and Ω) that are available in most FontSite fonts, but not encoded by default.
- If an expert variant is available, its fraction glyphs and ligatures such as ‘ff’ and even ‘ft’ are merged into the final encoding and selected transparently.
- If old-style figures are available (usually with the small caps shape) then they are merged into a family variant that uses them by default, with no additional markup.
- The file names (vaguely) follow the ‘fontname’ standard. They do not exceed 8+3 characters, so they should work with any operating system.
- The package also includes maps for using the fonts with Ghostscript and X windows.

The web site is <http://contrapunctus.net/fs500tex/>; there you will find the following files:

‘fs500tex.pdf’ ($\approx 4.2M$)

The manual, with samples of all the fonts and extensive indexing. Along with the material at <http://www.fontsite.com/>, this document may help you decide whether to purchase the FontSite CD.

‘fs500tex-1.1_cd???.tgz’ ($\approx 4.8M$)

The primary distribution. It contains the TeX and LaTeX support files and instructions for installing them. A version of the manual *without* font samples (in GNU info format) is included. You must get the package corresponding to the copyright date on your CD (see the web site for details).

‘fs500src-1.1.tgz’ ($\approx 220k$)

The script package, distributed under the terms of the GNU GPL. It assumes you have a Unix system with particular tools available, and its documentation is somewhat sketchy. Grab this if you want to read or modify the scripts; do not assume that you will just save time compared to downloading the binaries!

Bug reports, patches, suggestions, questions, and praise are all welcome; please send email to league@contrapunctus.net.

User-visible changes

version 1.1

- Released 29 May 2003
- Added all the decorative fonts that had been omitted until now.
- Updated documentation with suggestions from many users (thanks!)
- Included a brief document with font samples, suggested and initially designed by Karl Berry.
- Changes to continue to accommodate older editions of the CD.

version 1.0

- Released 28 March 2003
- Initial support for the 2003 CD (5th edition). There were many font name and encoding changes.

version 0.9

- Released 23 November 2002
- The L^AT_EX font definition files now use standard NFSS series codes. Thanks to Walter Schmidt and Ralf Stubner for indicating the way.
- Reasonable font substitutions are defined automatically. If you come across a family that does behave as expected under the following series/shape combinations, please report it as a bug: m/n, m/it, bx/n, bx/it. Substitutions between slanted and italic are standard also, but they produce a warning message.
- Symbol fonts are now available: Arrows, Chap Borders, CombiNumerals, Deanna Borders, Deanna Flowers, Linedraw Fixed, Sean Symbols. Complete glyph charts for these are available in the manual.
- CombiNumerals are circled sans-serif numerals, either open (black on white) or solid (white on black). The package ‘combinum.sty’ can automatically render T_EX or L^AT_EX counters (with values up to 99) as CombiNumerals. It is now trivial to use CombiNumerals as page numbers or in enumerations.
- OCR-A and OCR-B have been merged into one family with two distinct shapes.
- I worked around broken spacing in Bank Gothic ligatures. I fixed a bug in the ATF Clearface expert set, reported by Uwe Steinmann.

version 0.8

- Released 1 October 2002
- Updated to work with the 2001 FontSite CD. I originally had the 2000 version, so people who ordered new CDs had problems. Thanks to Stephen Peters.
- Font definition files are now available for expert sets, so they can be used with the ‘pifont’ package.
- Added more decorative and script faces.
- Renamed the Syntax package to ‘syntaxf.sty’, to avoid name collision.

version 0.7

- First public release, 29 August 2002.
- All text and sans serif families are supported, but some decorative and all the symbol fonts are missing.
- A L^AT_EX package interface exists, but is quite primitive.

3 Installing

There are two stages to setting up \TeX support for the FontSite 500 fonts. First, install all the files where \TeX and friends can find them. Second, tell the essential \TeX programs (`dvips` and `xdvi`, for example) how to use them. This document will guide you through both stages. For the impatient, I provide this synopsis:

```
# copy PFB files from CD, changing names to lowercase
etc/cpfb '/cdrom/Type\ 1' /your/local/texmf/fonts/type1/fontsite

# copy TeX files from this distribution
cp -r tex fonts dvips      /your/local/texmf
texhash                  /your/local/texmf

# update font maps
updmap --enable Map fs500tex.map
```

If you do not know where your local and main `texmf` trees reside, or if your distribution does not include the ‘`updmap`’ tool, then please read on.

3.1 Find a suitable `texmf` tree

Most distributions organize files according to the [TeX Directory Structure](#). This standard defines where different kinds of files should go relative to some root. The hierarchy is called a `texmf` tree. Most distributions root their main `texmf` tree at ‘`/usr/share/texmf/`’ or similar. If you have administrative access, you may add files directly into this tree, but this is not usually recommended.

Your \TeX distribution should support *local* (site- or user-specific) trees, perhaps in ‘`/usr/local/share/texmf/`’ or ‘`$HOME/texmf`’. For distributions based on ‘`web2c`’ (such as `teTeX`), the tree configuration is found in the file ‘`web2c/texmf.cnf`’ in the main tree. Check this file and your documentation to see how to incorporate a local `texmf` tree.

Next, you need to know how your \TeX tools search the tree. Typically, a database named ‘`ls-R`’ is kept in the root of the tree. You need to refresh this database manually using `texhash dir` or a similar menu option. (`texhash` might be spelled `mktexlsr`.) If your \TeX distribution uses the `Kpathsea` library, then `kpsewhich name` will return the full path of the file `name` within any `texmf` tree.

3.2 Copy files into the tree

The Type 1 font files from the CD go into the ‘`fonts/type1/fontsite`’ subdirectory of your `texmf` tree. On the CD, the filenames are uppercase ‘`CHANI___.PFB`’; on most systems, it is essential to make them lowercase ‘`chani___.pfb`’.¹ The script

¹ Technically, only the extension needs to be lowercase. Both `Kpathsea` and the `X11` font server expect Type 1 font files to end with ‘`.pfb`’ or ‘`.pfa`’. If your filesystem is not case-sensitive, maybe this will not matter.

‘etc/cpfb’ will simultaneously copy files and change them to lowercase. The latest CDs contain subdirectories by family; these should be flattened. Be sure to include the quotes *and* the backslash when specifying the source directory.

```
etc/cpfb '/cdrom/Type\ 1' /your/local/texmf/fonts/type1/fontsite
```

Next, the files in the ‘tex’, ‘fonts’, and ‘dvips’ sub-directories of this distribution should be merged into the tree, preserving their directory structure. When you are done copying, refresh the database.

```
cp -r tex fonts dvips /your/local/texmf
texhash /your/local/texmf
```

Now, files from the CD and distribution should be found by Kpathsea.

```
kpsewhich chani___.pfb
    => /your/local/texmf/fonts/type1/fontsite/chani___.pfb
kpsewhich ot15bo.fd
    => /your/local/texmf/tex/latex/fontsite/ot15bo.fd
kpsewhich 5borx7t.tfm
    => /your/local/texmf/fonts/tfm/fontsite/bergamo/5borx7t.tfm
```

3.3 Tell drivers how to use the fonts

At this point, \TeX and \LaTeX (but not $\text{pdf\TeX}!$) can produce ‘.dvi’ files using the fonts. All \TeX needs is the metrics ‘.tfm’ and virtual font files ‘.vf’. \LaTeX needs the font definition files ‘.fd’ also. To view or print the ‘.dvi’ file, however, you need to tell your drivers how to *use* the fonts. That is the job of the file ‘fs500tex.map’ in the ‘dvips/config’ sub-directory of this package. For each \TeX font name, it gives the Postscript font name, the ‘.pfb’ file name, and some other parameters. The format of the map file is compatible with both pdf\TeX and dvips.

Recent versions of te\TeX and $\text{\TeX}Live$ include the ‘updmap’ tool that automatically adds new maps to ‘updmap.cfg’. Call it like this:

```
updmap --enable Map fs500tex.map
```

On older versions of te\TeX , ‘updmap’ is a script in the ‘dvips/config’ directory of the main *texmf* tree. In this case, copy (or link) the ‘fs500tex.map’ into this directory, edit the script, and run it.

```
cd /your/main/texmf/dvips/config
ln -s /your/local/texmf/dvips/config/fs500tex.map .
edit updmap      # add fs500tex.map to extra_modules
./updmap
```

If either of these seemed to work, then skip to the next section to [test your installation], page 7. Unfortunately, things are not so easy for everyone. Perhaps you do not

have permission to add files to the main *texmf* tree. Or perhaps you are worried about some package manager trashing the map when you upgrade.

If you cannot or do not want to use ‘*updmap*’, the alternative is to tell each driver to consult the ‘*fs500tex.map*’ in your local *texmf* tree. The following table may help. If you have easy installation tips for other platforms and drivers, please submit them!

<i>dvips</i>	Dvips reads ‘ <i>config.ps</i> ’, ‘\$HOME/.dvipsrc’, and ‘ <i>config.device</i> ’ (if ‘-P <i>device</i> ’ is specified on the command line). In any of these files, add the line ‘ <i>p +fs500tex.map</i> ’.
<i>pdftEX</i>	The main pdftEX configuration file is called ‘ <i>pdftex.cfg</i> ’ and is usually found in ‘ <i>texmf/pdftex/config/</i> ’. Adding the line ‘ <i>map +fs500tex.map</i> ’ to this file should work. If you need to copy the file to your local <i>texmf</i> tree to modify it, that should still work. In extreme cases, the environment variable <i>TEXPSHEADERS</i> may be helpful.
<i>xdvi</i>	In principle, <i>xdvi</i> uses the configuration files for <i>dvips</i> . In practice, I have seen many cases where <i>dvips</i> is happy and <i>xdvi</i> is not. If you have trouble, try using ‘\$HOME/.dvipsrc’, and set environment variables checked by <i>xdvi</i> , such as <i>XDVIVFS</i> .

3.4 Test your installation

Once you have copied all the files into *texmf* trees and set up the drivers, you can try to typeset using one of the new fonts. A good way to do this is the ‘*nfssfont*’ utility. LATEX comes with a file ‘*nfssfont.tex*’ that asks for a font name and typesets samples and character tables.

```
$ latex nfssfont
Name of the font to test = 5bobjx7t
Now type a test command (\help for help):
* \sample\bye
```

I have told the program to typeset a sample of the Bergamo font ‘5bo’ in bold ‘b’ with old-style numerals ‘j’ and integrated expert glyphs ‘x’ in the old T_EX text encoding ‘7t’. It writes the output to ‘*nfssfont.dvi*’.

Now for the moment of truth. Use *dvips* to convert the document to Postscript, embedding the fonts. The exact command depends on your configuration, but something like this should do:

```
$ dvips -o nfssfont.ps nfssfont.dvi
This is dvips(k) 5.86 Copyright 1999 Radical Eye Software
<texc.pro><fs8r.enc><fs8x.enc><texp.s.pro>. <bergscb_.pfb>
<bergeb__.pfb><bergb___.pfb>[1]
```

From this output, you can see that *dvips* found and included the custom encoding vectors provided in this distribution (‘*fs8r.enc*’ and ‘*fs8x.enc*’) as well as three dif-

ferent type 1 fonts: Bergamo bold ‘`bergb__`’, bold small caps ‘`bergscb_`’, and bold expert ‘`bergeb__`’.

Print or view the Postscript file, and you will see a table containing all the glyphs in the old T_EX encoding, plus some extras like the ‘fff’ and ‘fft’ ligatures! There are many more glyphs available in other encodings.

You can test pdfT_EX by replacing `latex` above with `pdflatex`. It should also load the two ‘`.enc`’ files and three ‘`.pfb`’ files.

Finally, try typesetting a complete L_AT_EX document using the package interface. Here is an example using Century Old Style and URW Grotesk.

```
\documentclass{article}
\usepackage[sf]{titlesec} % use sans for section headers
\usepackage[osf]{grotesk,centuros} % sans+roman; w/old-style figs
\begin{document}
\title{A Silly Example} % in Century Old Style
\author{Christopher League}
\date{14 April 2002}
\maketitle
\section{Introduction} % in URW Grotesk
The licenses for \emph{most} software are \textbf{designed} to
take away your freedom to \textsc{share} and change it\ldots
\section{Four six eight}
\end{document}
```

3.5 Other applications

Compared to creating quality virtual fonts for T_EX, setting up the FontSite 500 CD for other applications is a walk in the park. Map files for Ghostscript and X windows are included in the ‘etc/’ sub-directory of this distribution.

Ghostscript

The file ‘etc/Fontmap’ contains an entry for each of the ‘`.pfb`’ files supported by this distribution. It simply associates the internal Postscript font name with the filename. If you copy this file into a directory containing the ‘`.pfb`’ files and set the `GS_LIB` environment variable to that path, then Ghostscript can use the fonts *without* having them embedded.

X windows

The file ‘etc/fonts.scale’ associates each ‘`.pfb`’ filename with a standard X11 descriptor. To use the fonts in X11, copy this file to a directory containing the ‘`.pfb`’ files, issue the `mkfontdir` command, then add the directory to your font path with `xset fp+`.

The fonts are not hinted well enough to serve as readable screen fonts unless your system supports anti-aliasing. Nevertheless, registering them with the X11 server means that you can use them in image manipulation programs such as Gimp.

3.6 Notes for Windows users

First, you will need a utility to extract files from the ‘.tgz’ format. If you already use Cygwin <http://www.cygwin.com/> (a complete Unix environment for Windows) then you can use `tar` directly, and probably don’t need my help. Otherwise, the evaluation version of WinZip <http://www.winzip.com/> can open ‘.tgz’ files.

Second, I assume you are using MiKTeX <http://www.miktex.org/>.

- ① Find your local `texmf` folder; usually ‘C:\LOCALTEXMF\’.
- ② Create the sub-folders ‘fonts\type1\fonsite\’ if they are not already there.
- ③ Copy all the ‘.PFB’ files from the ‘Type 1’ directory on the CD into ‘fonts\type1\fonsite\’; you should not need to make the names lowercase, since Windows file systems are not case sensitive.
- ④ Copy the ‘tex’, ‘fonts’, and ‘dvips’ folders from this distribution into your local `texmf` folder. Ignore the ‘etc’ folder.
- ⑤ Edit the file ‘dvips\config\config.ps’ in the main `texmf` tree (usually ‘C:\TEXMF\’) and add the line ‘p +fs500tex.map’ (without the quotes). Perhaps the most reliable way to do this is to start up a command prompt and type `edit c:\texmf\dvips\config\config.ps`.
- ⑥ Edit the file ‘pdftex\config\pdftex.cfg’ in the main `texmf` tree, and add the line ‘map +fs500tex.map’.
- ⑦ Find the “MiKTeX Options” from the Start Menu, and then refresh the filename database.

This should do for L^AT_EX, dvips, and pdfT_EX. I have not been able to verify that Yap, the dvi viewer, works as well. Please email if you can help!

3.7 Notes for Mac users

With os x, the Unix installation instructions should work as advertised, but you may notice one problem right away. When you insert the FontSite CD into your Mac, the PFB files appear to be missing! This is because the os mounts it as an HFS filesystem. You need to force it to mount as ISO9660 instead (don’t ask me how!) or mount it on a non-Mac, and copy the files across the network.

4 Using

Using the FontSite 500 CD with L^AT_EX couldn't be simpler, thanks to the package interface. Just include '\usepackage{family}' in your document's preamble, where *family* is the shortened family name. You can learn these names by browsing the families in this manual; each entry features a synopsis of the '\usepackage' command.

The '\usepackage' command accepts several options:

- 'rm' Install this face as the default Roman font '\rmdefault'.
- 'sf' Install as the default sans serif font '\sfdefault'.
- 'osf' Use old-style figures for the numerals. This is not available in all faces.

For text faces, 'rm' is the default. For decorative, sans serif, and most other faces, 'sf' is the default instead. The synopsis *omits* the default option for a particular face. For faces that support old-style figures, this is also indicated in the synopsis.

Beneath the synopsis is a three-column table with one row for each font in the family. The middle column gives the NFSS series and shape codes assigned to each font. You can use these directly with the '\fontseries' and '\fontshape' commands. Consider [Unitus], page 62, for example; it has a wide range of weights and widths:

```
\fontfamily{5un}\fontseries{lclc}\selectfont
Start with light condensed,
{\fontshape{it}\selectfont make it italic,
 {\fontseries{hbc}\selectfont then heavy condensed,}}
back to normal,
{\fontseries{l}\selectfont then light,
 but regular width.}
```

(Of course, more flexible package options would make different weights and widths easier to use; see Chapter 5 [Wish List], page 12.) The default medium-weight series in L^AT_EX is 'm' and the default bold is 'bx' (for bold-extended). For many of the FontSite families, 'b' is the bold series. The standard substitutions are automatically specified, so that '\textbf' and '\textit' will work whenever a suitable font is available. If you encounter any surprises, please report them.

4.1 With TeX

To use the FontSite 500 CD with TeX, you need to specify font names, for now. In the future, I hope to support the new font selection scheme for plain TeX (plnfss). Next to the '\usepackage' synopsis in the manual is a comment with the three-character family prefix: '5go' is [Goudy Old Style], page 41, for example.

The rest of the font name is given in the first column of the table of variants: 'ri7t' is the regular-weight italic font. Thus, the full name of this font is '5gori7t'. It is selected in TeX like this:

```
\font\gi=5gori7t at 14pt
```

4.2 Accessing expert sets

Besides the expert glyphs already integrated into the basic encodings, you can access the raw expert sets in L^AT_EX by selecting the U (unknown) encoding and adding x to the family name. The following code typesets the three-fifths fraction $\frac{3}{5}$, which is in slot "73 (hexadecimal).

```
\fontencoding{U}\fontfamily{\f@family x}\selectfont\char"73}
```

You can typeset expert fractions quite easily using the ‘`fontsite.sty`’ package. This provides commands for upright fractions such as `\threefourths`, as well as a command `\expertfrac` that constructs fractions out of superior and inferior numerals.

```
\usepackage{fontsite}
\twofifths
\expertfrac{23}{45}
```

4.3 Using CombiNumerals

The [CombiNumerals], page 29 are circled sans-serif numerals, either open (black on white) or solid (white on black). By splitting the left half from the right, numbers up to 99 can be represented. You can read about how to use these fonts directly in the documentation on the FontSite CD.

I wrote a package interface ‘`combinum.sty`’ to render numbers automatically. In L^AT_EX, `\combinum{name}` will output the value of counter *name* in the open style. The font size is taken from the surrounding context, so try preceding the command with `\fontsize` or `\Large`, etc. The capitalized form `\Combinum{name}` selects the solid variant. These also can be specified for page numbering. Here are some examples:

```
\renewcommand{\labelenumi}{\combinum{enumi}} % enumerations
\pagenumbering{Combinum} % page numbers
```

The same package also works with plain T_EX, where the commands render standard T_EX counters. Here is an example to change the page numbering:

```
\input combinum.sty
\def\folio{\combinum{\pageno}}
```

Here, the numerals are 12pt by default. To use a different size, you must issue one of these commands to define the new font:

```
\combiopenfont\bigcombi{48pt}
\combisolidfont\bigCombi{48pt}
```

Then, pass the font command to `\combinumWith`:

```
\def\folio{\combinumWith\bigCombi{\pageno}}
```

5 Wish List

- ❶ Support ConTeXt with font typescripts. Much work has already been done by Bill McClain <http://home.salamander.com/~wmcclain/context-help.html#fontsite> but integrating it with my package may be useful.
- ❷ Provide better package options for faces with many widths and weights. For instance, I might say `\usepackage[light]{cheltenh}` to select the *light* series of Cheltenham as `\rmdefault`, and the *regular* series as `\bfdefault`. Similarly for widths with `\usepackage[condensed]{cheltenh}`. Of course, one can always get the effect by defining `\mdseries` and `\bfseries`, but that would also interfere with the `\sffamily`. I'm open to suggestions here.
- ❸ Support a `scale=ratio` option on packages, so that faces of very different sizes can be used together more easily. Letter Gothic, for example, is absurdly huge compared to other faces. (Its spacing is also very loose; maybe a virtual font with tighter spacing would be helpful.)
- ❹ Support the new font selection scheme for plain TeX: `plnfss`.
- ❺ For faces with expert sets, have the package replace L^AT_EX's default footnote numbering with superior numerals.
- ❻ Permit typesetting directly with the TeXbase1 encoding. Currently these fonts do not contain proper inter-word spacing (`fontdimen2`). I think this is because I create them with `\transformfont` rather than `\installfont`.

6 Faces

Abbot Old Style

```
\usepackage[sf]{abbotold} % 5at
```

Abbot Old Style is copyright ©2002 by The FontSite. All Rights Reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

Arnold Boecklin

```
\usepackage[sf]{aboeckli} % 5ab
```

Arnold Boecklin is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

Ad Lib

```
\usepackage[sf]{adlib} % 5al
```

Ad Lib is copyright ©2002 by The FontSite. All Rights Reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

Advertisers Gothic

```
\usepackage[sf]{advertgo} % 5ad
```

Advertisers Gothic is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

r7tc mc:n **Waffle ‘figlery’ 246 Phœnix flambé**

Algerian

```
\usepackage[sf]{algerian} % 5ag
```

Algerian is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ**

Alte Schwabacher

```
\usepackage[sf]{alteschw} % 5as
```

Alte Schwabacher is copyright ©2002 by The FontSite. All rights reserved. [blacklet]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

American Uncial

```
\usepackage[sf]{amuncial} % 5au
American Uncial is copyright ©2002 by The FontSite. All rights reserved. [uncial]
r7t m:n waffle 'figlery' 246 phœnîx flambé
```

URW Antiqua

```
\usepackage[sf]{antiqua} % 5aq
URW Antiqua is copyright ©2002 by The FontSite. All Rights Reserved. [trans
expert]
rx7t m:n Waffle 'figlery' 246 Phœnîx flambé
rix7t m:it Waffle 'figlery' 246 Phœnîx flambé
bx7t b:n Waffle 'figlery' 246 Phœnîx flambé
bix7t b:it Waffle 'figlery' 246 Phœnîx flambé
```

Arrows

```
\usepackage{pifont} % \Pifont{5ar}
```

Arrows is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n 1↓↑↔↕

"21 !	↔↔	"22 ,	↔↔	"23 #	↔↔	"24 \$	↔↔	"25 %	→
"26 &	↔↔	"27 ,	→	"28 (↔↔	"29)	↔↔	"2a *	↔↔
"2b +	↔↔	"2c ,	↔↔	"2d -	↔↔	"2e .	↔↔	"2f /	↔↔
"30 0	↑↑	"31 1	↔↔	"32 2	↑↑	"33 3	↓	"34 4	↑↑
"35 5	↓↓	"36 6	↑↑	"37 7	↓↓	"38 8	↑↑	"39 9	↑↑
"3a :	↓↓	"3b ;	↑↑	"3c =	↑↑	"3d =	↑↑	"3e	↓↓
"3f ?	↔↔	"40 A	→	"41 A	→	"42 B	→	"43 C	↔↔
"44 D	→	"45 E	→	"46 F	→	"47 G	→	"48 H	→
"49 I	↔↔	"4a J	↑↑	"4b K	↑↑	"4c L	↑↑	"4d M	↑↑
"4e N	↔↔	"4f O	↑↑	"50 P	↑↑	"51 Q	↑↑	"52 R	↑↑
"53 S	↑↑	"54 T	↑↑	"55 U	↑↑	"56 V	↑↑	"57 W	↑↑
"58 X	↑↑	"59 Y	↑↑	"5a Z	↑↑	"5b [↔↔	"5c	↑↑
"5d]	↔↔	"5e ^	↔↔	"5f _	↔↔	"60 '	↔↔	"61 a	↔↔
"62 b	↔↔	"63 c	↔↔	"64 d	↔↔	"65 e	↔↔	"66 f	↔↔
"67 g	↔↔	"68 h	↓↓	"69 i	↔↔	"6a j	↑↑	"6b k	↑↑
"6c l	↑↑	"6d m	↑↑	"6e n	↑↑	"6f o	↑↑	"70 p	↑↑
"71 q	↓↓	"72 r	↓↓	"73 s	↑↑	"74 t	↑↑	"75 u	↑↑
"76 v	↑↑	"77 w	↑↑	"78 x	↑↑	"79 y	↔↔	"7a z	↑↑
"7b	↑↑	"7c	↑↑	"7d	↑↑	"7e	↑↑	"95	↑↑
"99	↓↓	"a2	↓↓	"a3	↓↓	"a5	↓↓	"a7	↓↓
"a8	↓↓	"a9	↓↓	"ae	↓↓	"b0	↓↓	"b1	↓↓
"b4	↓↓	"b5	↓↓	"b6	↓↓	"c6	↓↓	"d8	↓↓
"df	↓↓	"e0	↓↓	"e1	↓↓	"e2	↓↓	"e3	↓↓
"e4	↔↔	"e5	↔↔	"e6	↔↔				

Arrows X

```
\usepackage{pifont} % \Pifont{5ax}
```

These are matching left- and right-pointing arrows. Arrows X is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n 

b7z b:n 

"21 !	"22 ,	"23 #	"24 \$	"25 %
"26 &	"27 ,	"28 ("29)	"2a *
"2b +	"2c ,	"2d -	"2e .	"2f /
"30 0	"31 1	"32 2	"33 3	"34 4
"35 5	"36 6	"37 7	"38 8	"39 9
"3a :	"3b ;	"3c	"3d =	"3e
"3f ?	"40	"41 A	"42 B	"43 C
"44 D	"45 E	"46 F	"47 G	"48 H
"49 I	"4a J	"4b K	"4c L	"4d M
"4e N	"4f O	"50 P	"51 Q	"52 R
"53 S	"54 T	"55 U	"56 V	"57 W
"58 X	"59 Y	"5a Z	"5b ["5c]
"5d]	"5e ^	"5f _	"60 `	"61 a
"62 b	"63 c	"64 d	"65 e	"66 f
"67 g	"68 h	"69 i	"6a j	"6b k
"6c l	"6d m	"6e n	"6f o	"70 p
"71 q	"72 r	"73 s	"74 t	"75 u
"76 v	"77 w	"78 x	"79 y	"7a z
"7b	"7c	"7d	"7e	"95
"99	"a2	"a3	"a5	"a7
"a8	"a9	"ae	"b0	"b1
"b4	"b5	"b6	"c6	"d8
"df	"e0	"e1	"e2	"e3
"e4	"e5	"e6		

Arrows Y

```
\usepackage{pifont} % \Pifont{5ay}
```

These are matching up- and down-pointing arrows. Arrows Y is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n 

b7z b:n 

"21 !	"22 ,	"23 #	"24 \$	"25 %
"26 &	"27 ,	"28 ("29)	"2a *
"2b +	"2c ,	"2d -	"2e .	"2f /
"30 0	"31 1	"32 2	"33 3	"34 4
"35 5	"36 6	"37 7	"38 8	"39 9
"3a :	"3b ;	"3c :	"3d =	"3e :
"3f ?	"40 :	"41 A	"42 B	"43 C
"44 D	"45 E	"46 F	"47 G	"48 H
"49 I	"4a J	"4b K	"4c L	"4d M
"4e N	"4f O	"50 P	"51 Q	"52 R
"53 S	"54 T	"55 U	"56 V	"57 W
"58 X	"59 Y	"5a Z	"5b ["5c]
"5d]	"5e ^	"5f _	"60 `	"61 a
"62 b	"63 c	"64 d	"65 e	"66 f
"67 g	"68 h	"69 i	"6a j	"6b k
"6c l	"6d m	"6e n	"6f o	"70 p
"71 q	"72 r	"73 s	"74 t	"75 u
"76 v	"77 w	"78 x	"79 y	"7a z
"7b	"7c	"7d	"7e	"95
"99	"a2	"a3	"a5	"a7
"a8	"a9	"ae	"b0	"b1
"b4	"b5	"b6	"c6	"d8
"df	"e0	"e1	"e2	"e3
"e4	"e5	"e6		

Antique Olive

```
\usepackage[osf,rm]{atqolive} % 5ao
```

Antique Olive is copyright ©2002 by The FontSite. All rights reserved. [sans sc osf extended]

r7t	m:n	Waffle 'figłery' 246 Phœnîx flambé
ri7t	m:it	Waffle 'figłery' 246 Phœnîx flambé
rcj7t	m:sc	WAFFLE 'FIGŁERY' 246 PHŒNÎX FLAMBÉ
b7t	b:n	Waffle 'figłery' 246 Phœnîx flambé
bi7t	b:it	Waffle 'figłery' 246 Phœnîx flambé
h7tp	hb:n	Waffle 'figłery' 246 Phœnîx flambé
l7t	l:n	Waffle 'figłery' 246 Phœnîx flambé
li7t	l:it	Waffle 'figłery' 246 Phœnîx flambé

Avalon

```
\usepackage[rm]{avalon} % 5av
```

Avalon is copyright ©2002 by The FontSite. All Rights Reserved. [sans]

r7t	m:n	Waffle 'figłery' 246 Phœnîx flambé
ri7t	m:it	Waffle 'figłery' 246 Phœnîx flambé
b7t	b:n	Waffle 'figłery' 246 Phœnîx flambé
bi7t	b:it	Waffle 'figłery' 246 Phœnîx flambé

Bank Gothic

```
\usepackage[rm]{bankgoth} % 5kg
```

The spacing was broken on the fi, fl, and ß ligatures. The two characters were set further apart than the reported width, causing the ‘i’ to overlap with the ‘d’ in ‘fiddle’! I removed those glyphs and synthesized my own, but you can still access the originals via the ‘8r’ encoding. Bank Gothic is copyright ©2002 by The FontSite. All rights reserved. [sans sc extended]

r7t	m:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
r7tc	mc:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
b7t	b:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
b7tc	bc:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
h7t	hb:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
h7tc	hbc:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ

Barbedor

```
\usepackage[osf,sf]{barbedor} % 5ba
```

Barbedor is copyright ©2002 by The FontSite. All rights reserved. [freeform expert sc osf]

rx7t	m:n	Waffle ‘figłery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
bx7t	b:n	Waffle ‘figłery’ 246 Phœnîx flambé
bix7t	b:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
bcj7t	b:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ

Basel

```
\usepackage[sf]{basel} % 5bs
```

This face is also known as Basilia. Unfortunately, the ‘fl’ and ‘ffl’ combinations are somewhat ugly. Basel is copyright ©2002 by The FontSite. All rights reserved. [modern]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé

Baskerville

```
\usepackage[sf]{baskervi} % 5bv
```

Baskerville is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [trans expert]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rox7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
bx7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bix7t	b:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
box7t	b:sl	Waffle ‘figlery’ 246 Phœnîx flambé

Bewe

```
\usepackage[sf]{belwe} % 5bl
```

Bewe is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bo7t	b:sl	Waffle ‘figlery’ 246 Phœnix flambé
h7t	hb:n	Waffle ‘figlery’ 246 Phœnix flambé
ho7t	hb:sl	Waffle ‘figlery’ 246 Phœnix flambé

Ben Franklin

```
\usepackage[sf]{benfrank} % 5bf
```

Ben Franklin is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phoenix flambe
rl7t	m:op	<i>Waffle ‘figlery’ 246 Phoenix flambe</i>
r7tc	mc:n	<i>Waffle ‘figlery’ 246 Phoenix flambe</i>

Benjamin Gothic

```
\usepackage[rm]{benjgoth} % 5bg
```

This face is also known as Benguiat Gothic. Benjamin Gothic is copyright ©2002 by The FontSite. All rights reserved. [sans]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnix flambé

Bergamo

```
\usepackage[osf,sf]{bergamo} % 5bo
```

This face is also known as Bembo, a trademark of the Monotype Corporation. Bergamo is copyright ©2002 by The FontSite. All rights reserved. [garalde sc osf expert]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
bx7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bix7t	b:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
bcj7t	b:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ

Bernhard Modern

```
\usepackage[sf]{bernmode} % 5bm
```

Bernhard Modern is copyright ©2002 by The FontSite. All rights reserved. [freeform]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>

Bernhard Tango

```
\usepackage[sf]{berntang} % 5bt
```

Bernhard Tango is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	<i>Waffle figlery’ 246 Phœnîx flambé</i>
-----	-----	--

Binner

```
\usepackage[sf]{binner} % 5bn
```

Binner is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
-----	-----	---

Bodoni

```
\usepackage[osf,sf]{bodoni} % 5bd
```

Bodoni is copyright ©2002 by The FontSite. All rights reserved. [modern sc osf expert extended]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ
dx7t	db:n	Waffle ‘figlery’ 246 Phœnîx flambé
dix7t	db:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
h7t	hb:n	Waffle ‘figlery’ 246 Phœnîx flambé
hi7t	hb:it	Waffle ‘figlery’ 246 Phœnîx flambé

Brody

```
\usepackage[sf]{brody} % 5br
```

The spacing on the right single quote is broken. Brody is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
-----	-----	---

Caslon Antique

```
\usepackage[osf,sf]{caslantq} % 5cq
```

This face evokes “*Les Misérables*.” Caslon Antique is copyright ©2003 by FontSite, Inc. All Rights Reserved. [decor osf]

rj7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
------	-----	---

Caslon

```
\usepackage[sf]{caslon} % 5ca
```

Caslon is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [garalde expert]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
rox7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
bx7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bix7t	b:it	Waffle ‘figlery’ 246 Phœnix flambé
box7t	b:sl	Waffle ‘figlery’ 246 Phœnix flambé

Century Old Style

```
\usepackage[osf,sf]{centuros} % 5cu
```

Century Old Style is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [trans expert sc osf]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
r2o7t	m:scsl	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
rox7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
bx7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
box7t	b:sl	Waffle ‘figlery’ 246 Phœnix flambé

Chantilly

```
\usepackage[rm]{chantill} % 5ch
```

This face is similar to Gill Sans. Chantilly is copyright ©2002 by The FontSite. All rights reserved. [sans extended]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	Waffle ‘figlery’ 246 Phœnîx flambé
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé
h7t	hb:n	Waffle ‘figlery’ 246 Phœnîx flambé
hi7t	hb:it	Waffle ‘figlery’ 246 Phœnîx flambé
l7t	l:n	Waffle ‘figlery’ 246 Phœnîx flambé
li7t	l:it	Waffle ‘figlery’ 246 Phœnîx flambé
u7t	ub:n	Waffle ‘figlery’ 246 Phœnîx flambé

Chap Borders

```
\usepackage{pifont} % \Pifont{5cb}
```

Chap Borders is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z	m:n	
"61 a		
"73 s		

"65 e		"69 i		"71 q		"72 r	
"74 t		"75 u		"77 w		"79 y	

Cheltenham

```
\usepackage[sf]{cheltenh} % 5ct
```

Cheltenham is copyright ©2002 by The FontSite. All rights reserved. [slab extended]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
r7tc	mc:n	Waffle ‘figlery’ 246 Phœnix flambé
ri7tc	mc:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnix flambé
b7tc	bc:n	Waffle ‘figlery’ 246 Phœnix flambé
bi7tc	bc:it	Waffle ‘figlery’ 246 Phœnix flambé
l7t	l:n	Waffle ‘figlery’ 246 Phœnix flambé
li7t	l:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
l7tc	lc:n	Waffle ‘figlery’ 246 Phœnix flambé
li7tc	lc:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>

Chisel

```
\usepackage[sf]{chisel} % 5cz
```

Chisel is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
-----	-----	---

Chromatic

```
\usepackage[sf]{chromatic} % 5cr
```

Chromatic is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
-----	-----	---

Churchward

```
\usepackage[sf]{churward} % 5cw
Churchward is copyright ©2002 by The FontSite. All rights reserved. [decor]
r7t m:n Waffle 'figlery' 246 Phœnix flambé
ri7t m:it Waffle 'figlery' 246 Phœnix flambé
```

Cipollini

```
\usepackage[sf]{cipollin} % 5ci
Cipollini is copyright ©2002 by The FontSite. All rights reserved. [decor]
r7t m:n Waffle 'figlery' 246 Phœnix flambé
b7t b:n Waffle 'figlery' 246 Phœnix flambé
```

Clarendon

```
\usepackage[sf]{clarendo} % 5cd
Clarendon is copyright ©2002 by The FontSite. All rights reserved. The slanted
form is artificial. [slab extended]
r7t m:n Waffle 'figlery' 246 Phœnix flambé
ro7t m:sl Waffle 'figlery' 246 Phœnix flambé
b7t b:n Waffle 'figlery' 246 Phœnix flambé
bo7t b:sl Waffle 'figlery' 246 Phœnix flambé
h7t hb:n Waffle 'figlery' 246 Phœnix flambé
ho7t hb:sl Waffle 'figlery' 246 Phœnix flambé
l7t l:n Waffle 'figlery' 246 Phœnix flambé
lo7t l:sl Waffle 'figlery' 246 Phœnix flambé
```

ATF Clearface

```
\usepackage[sf]{clearfac} % 5cf
```

ATF Clearface is copyright ©2002 by The FontSite. All rights reserved. [trans expert extended]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
bx7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bix7t	b:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
hx7t	hb:n	Waffle ‘figlery’ 246 Phœnix flambé
hix7t	hb:it	Waffle ‘figlery’ 246 Phœnix flambé

Collner Grotesk

```
\usepackage[sf]{colgrot} % 5bk
```

On the 2000 CD, this was called “Berliner Grotesk” and the package was ‘berlgrot’. Collner Grotesk is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé

CombiNumerals

```
\usepackage{pifont} % \Pifont{5cn}
```

See [Chapter 4 \[Using\]](#), page 10 for instructions on automatically constructing 2-digit numerals from TeX and L^AT_EX counters. CombiNumerals is copyright ©2003 by The FontSite. All Rights Reserved. [symbol]

r7z m:n 15 8 16 17 18

b7z b:n 15 8 16 17 18

"22		"27		"3b		"3c		"3e	
"3f		"5b		"5c		"5d		"5f	
"61 a		"64 d		"65 e		"66 f		"67 g	
"68 h		"69 i		"6a j		"6b k		"6c l	
"6f o		"70 p		"71 q		"72 r		"73 s	
"74 t		"75 u		"77 w		"79 y		"7b	
"7c		"7d		"7e		"80		"82	
"85		"86		"87		"88		"89	
"8b		"8d		"92		"93		"97	
"98		"99		"9a		"9b		"9c	
"9d		"9e		"9f		"a0		"a2	
"a3		"a4		"a5		"a6		"a7	
"a8		"a9		"aa		"ae		"af	
"b1		"b2		"b3		"b4		"b5	
"b7		"b9		"bb		"bc		"bd	
"be		"bf		"c1		"c4		"c6	
"c7		"c8		"cb		"cc		"cd	
"ce		"cf		"d6		"dc		"dd	
"e0		"e2		"e3		"e4		"e5	
"e7		"ee		"ef		"f1		"f2	
"f3		"f4							

Commercial Script

```
\usepackage[sf]{commscr} % 5cm
```

Commercial Script is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t m:n *Waffle 'figlery' 246 Phœnix flambé*

Copperplate Gothic

```
\usepackage[sf]{copperpl} % 5cp
```

Copperplate Gothic is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE 'FIGŁERY' 246 PHŒNÎX FLAMBÉ**

r7tc mc:n **WAFFLE 'FIGŁERY' 246 PHŒNÎX FLAMBÉ**

b7t b:n **WAFFLE 'FIGŁERY' 246 PHŒNÎX FLAMBÉ**

b7tc bc:n **WAFFLE 'FIGŁERY' 246 PHŒNÎX FLAMBÉ**

Cori Sans

```
\usepackage[rm]{corisans} % 5cs
```

Cori Sans is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [sans]

r7t m:n *Waffle 'figlery' 246 Phœnix flambé*

ro7t m:sl *Waffle 'figlery' 246 Phœnix flambé*

b7t b:n **Waffle 'figlery' 246 Phœnix flambé**

bo7t b:sl **Waffle 'figlery' 246 Phœnix flambé**

Coronado

```
\usepackage[sf]{coronado} % 5co
```

Coronado is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle 'figlery' 246 Phœnix flambé**

Davida

```
\usepackage[sf]{davida} % 5da
```

Davida is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE 'FIGŁERY' 246 PHŒNÎX FLAMBÉ**

Deanna Script

```
\usepackage[sf]{deanna} % 5dn
```

The ligatures are wrong on the swash variant. Really the swash capitals should be integrated with the script lowercase in a virtual font. Deanna Script is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t m:n Waffle 'figlery' 246 Phœnix flambé

ra7t m:alt WAFFLE 'figLERY' 246 PHœNIX flAMBÉ

Deanna Borders

```
\usepackage{pifont} % \Pifont{5db}
```

Deanna Borders is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n					
"31 1	"32 2	"33 3	"34 4	"36 6	
"37 7	"38 8	"39 9			

Deanna Flowers

```
\usepackage{pifont} % \Pifont{5df}
```

Deanna Flowers is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n					
"61 a	"62 b	"63 c	"64 d	"65 e	
"66 f	"67 g	"68 h	"69 i	"6a j	
"6b k	"6c l	"6d m	"6e n	"6f o	
"70 p					

Della Robbia

```
\usepackage[sf]{dellarob} % 5de
```

Della Robbia is copyright ©2002 by The FontSite. All rights reserved. [freeform]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
r7tc	mc:n	Waffle ‘figlery’ 246 Phœnix flambé
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bo7t	b:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
b7tc	bc:n	Waffle ‘figlery’ 246 Phœnix flambé

Delphian

```
\usepackage[sf]{delphian} % 5dp
```

Delphian is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGLERY’ 246 PHOENIX FLAMBÉ
-----	-----	--

Dresden

```
\usepackage[sf]{dresden} % 5dr
```

Dresden is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGLERY’ 246 PHOENIX FLAMBÉ
-----	-----	--

Dynamo

```
\usepackage[sf]{dynamo} % 5dy
```

Dynamo is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
-----	-----	---

Egyptian

```
\usepackage[sf]{egyptian} % 5ee
```

Egyptian is copyright ©2002 by The FontSite. All rights reserved. [slab]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
-----	-----	---

Eldamar

```
\usepackage[sf]{eldamar} % 5ed
```

Eldamar is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE ‘FIGŁERY’ 246 PHŒNIX FLAMBÉ**

Elefont

```
\usepackage[sf]{elefont} % 5ef
```

Elefont is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE ‘FIGŁERY’ 246 PHŒNIX FLAMBÉ**

Embie

```
\usepackage[sf]{embie} % 5em
```

Embie is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waſſle ‘figlery’ 246 Phœnix flambé**

Empire ATF

```
\usepackage[sf]{empire} % 5ep
```

Empire ATF is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE ‘FIGŁERY’ 246 PHŒNIX FLAMBÉ**

Engravers Gothic

```
\usepackage[rm]{engrgoth} % 5eg
```

Engravers Gothic is copyright ©2002 by The FontSite. All rights reserved. [sans sc extended]

r7t m:n **WAFFLE ‘FIGŁERY’ 246 PHŒNIX FLAMBÉ**

r7tx msx:n **WAFFLE ‘FIGŁERY’ 246 PHŒNIX FLAMBÉ**

b7t b:n **WAFFLE ‘FIGŁERY’ 246 PHŒNIX FLAMBÉ**

b7tx bsx:n **WAFFLE ‘FIGŁERY’ 246 PHŒNIX FLAMBÉ**

Engravers Litho

```
\usepackage[sf]{engrlith} % 5el
```

Engravers Litho is copyright ©2002 by The FontSite. All rights reserved. [freeform sc]

r7t	m:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
r7tc	mc:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
b7t	b:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
b7tc	bc:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ

Engravers Old English

```
\usepackage[sf]{engrolde} % 5eo
```

Engravers Old English is copyright ©2002 by The FontSite. All rights reserved. [blacklet]

r7t	m:n	Waffle ‘figłery’ 246 Phœnîx flambé
b7t	b:n	Waffle ‘figłery’ 246 Phœnîx flambé

Engravers Roman

```
\usepackage[sf]{engroman} % 5er
```

Engravers Roman is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
-----	-----	---

English Serif

```
\usepackage[osf,sf]{engserif} % 5es
```

English Serif is copyright ©2002 by The FontSite. All rights reserved. [trans expert sc osf]

rx7t	m:n	Waffle ‘figłery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
bx7t	b:n	Waffle ‘figłery’ 246 Phœnîx flambé
bix7t	b:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
bcj7t	b:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ

Erbar Deco

```
\usepackage[sf]{erbardeco} % 5eb
```

Erbar Deco is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n WAFFLE ‘FIGLERY’ 246 PHœNÎX FLAMBE

Fette Engschrift

```
\usepackage[rm]{fetteeng} % 5fe
```

Fette Engschrift is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [sans]

r7t m:n Waffle ‘figlery’ 246 Phœnîx flambé

ro7t m:sl Waffle ‘figlery’ 246 Phœnîx flambé

Fette Fraktur

```
\usepackage[sf]{fettefrk} % 5ft
```

Fette Fraktur is copyright ©2002 by The FontSite. All rights reserved. [blacklet]

r7t m:n Waffle ‘figlery’ 246 Phœnîx flambé

Fette Gotisch

```
\usepackage[sf]{fettegot} % 5fh
```

Fette Gotisch is copyright ©2002 by The FontSite. All rights reserved. [blacklet]

r7t m:n Waffle ‘figlery’ 246 Phœnîx flambé

Fette Mittelschrift

```
\usepackage[rm]{fettemit} % 5fm
```

Fette Mittelschrift is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [sans]

r7t m:n Waffle ‘figlery’ 246 Phœnîx flambé

ro7t m:sl Waffle ‘figlery’ 246 Phœnîx flambé

Flanders

```
\usepackage[sf]{flanders} % 5f1
```

Flanders is copyright ©2002 by The FontSite. All Rights Reserved. [freeform]

r7t	m:n	Waffle ‘figłery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figłery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figłery’ 246 Phœnîx flambé

Franklin Gothic

```
\usepackage[osf,rm]{frankgth} % 5fg
```

Franklin Gothic is copyright ©2002 by The FontSite. All rights reserved. [sans sc osf extended]

r7t	m:n	Waffle ‘figłery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
r7tc	mc:n	Waffle ‘figłery’ 246 Phœnîx flambé
ri7tc	mc:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
r27tc	mc:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
b7t	b:n	Waffle ‘figłery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figłery’ 246 Phœnîx flambé
b7tc	bc:n	Waffle ‘figłery’ 246 Phœnîx flambé
bi7tc	bc:it	<i>Waffle ‘figłery’ 246 Phœnîx flambé</i>
b27tc	bc:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
h7t	hb:n	Waffle ‘figłery’ 246 Phœnîx flambé
hi7t	hb:it	Waffle ‘figłery’ 246 Phœnîx flambé

FontSite Sans

```
\usepackage[rm]{fssans} % 5fn
```

FontSite Sans is copyright ©2003 by The FontSite. All Rights Reserved. [sans]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé

Function

```
\usepackage[osf,rm]{function} % 5fu
```

This face is also known as Futura. Function is copyright ©2002 by The FontSite. All rights reserved. [sans sc osf extended]

r7t	m:n	Waffle 'figlery' 246 Phœnîx flambé
rcj7t	m:sc	WAFFLE 'FIGLERY' 246 PHŒNÎX FLAMBÉ
ro7t	m:sl	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
r7tc	mc:n	Waffle 'figlery' 246 Phœnîx flambé
ro7tc	mc:sl	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
b7t	b:n	Waffle 'figlery' 246 Phœnîx flambé
bo7t	b:sl	Waffle 'figlery' 246 Phœnîx flambé
b7tc	bc:n	Waffle 'figlery' 246 Phœnîx flambé
bo7tc	bc:sl	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
h7t	hb:n	Waffle 'figlery' 246 Phœnîx flambé
ho7t	hb:sl	Waffle 'figlery' 246 Phœnîx flambé
h7tc	hbc:n	Waffle 'figlery' 246 Phœnîx flambé
ho7tc	hbc:sl	Waffle 'figlery' 246 Phœnîx flambé
l7t	l:n	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
lcj7t	l:sc	WAFFLE 'FIGLERY' 246 PHŒNÎX FLAMBÉ
lo7t	l:sl	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
l7tc	lc:n	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
lo7tc	lc:sl	<i>Waffle 'figlery' 246 Phœnîx flambé</i>

Function Script

```
\usepackage[sf]{funscript} % 5fs
```

Function Script is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	Waffle 'figlery' 246 Phœnîx flambé
-----	-----	---

Gallia

```
\usepackage[sf]{gallia} % 5ga
Gallia is copyright ©2002 by The FontSite. All rights reserved. [decor]
```

r7t m:n **WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAM**

Garamond Condensed

```
\usepackage[sf]{garamond} % 5gd
```

The light face is similar to that used in Apple Computer advertising: “The new iMac: Think Different.” Garamond Condensed is copyright ©2002 by The FontSite. All rights reserved. [garalde extended]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé
l7t	l:n	Waffle ‘figlery’ 246 Phœnîx flambé
li7t	l:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>

Garamond

```
\usepackage[osf,sf]{garamond} % 5gm
```

Garamond is copyright ©2002 by The FontSite. All rights reserved. [garalde expert sc osf]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ
bx7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bix7t	b:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
bcj7t	b:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ

Gillies Gothic

```
\usepackage[sf]{gillgoth} % 5gg
```

Gillies Gothic is copyright ©2002 by The FontSite. All Rights Reserved. [script]

r7t	m:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>
b7t	b:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>

Glaser Stencil

```
\usepackage[sf]{glaserst} % 5gs
```

Glaser Stencil is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE 'FIGLERY' 246 PHŒNIX FLAMBE
-----	-----	---

Glytus

```
\usepackage[sf]{glytus} % 5gl
```

This face is also known as Glypha. Glytus is copyright ©2002 by The FontSite. All rights reserved. [slab extended]

r7t	m:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>
ri7t	m:it	<i>Waffle 'figlery' 246 Phœnix flambé</i>
b7t	b:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>
bi7t	b:it	<i>Waffle 'figlery' 246 Phœnix flambé</i>
l7t	l:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>
li7t	l:it	<i>Waffle 'figlery' 246 Phœnix flambé</i>

Goudy Handtooled

```
\usepackage[sf]{goudyht} % 5gh
```

Goudy Handtooled is copyright ©2002 by The FontSite. All rights reserved. [decor swash]

rx7t	m:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>
rd7t	m:dp	WAFFLE 'FIGLERY' 246 PHŒNIX FLAMBE

Goudy Old Style

```
\usepackage[sf]{goudyos} % 5go
```

Goudy Old Style is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [garalde]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rg7t	m:sm	Waffle ‘figlery’ 246 Phœnîx flambé
rgo7t	m:smsl	Waffle ‘figlery’ 246 Phœnîx flambé
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bo7t	b:sl	Waffle ‘figlery’ 246 Phœnîx flambé

Goudy Sans

```
\usepackage[rm]{goudysan} % 5ys
```

Goudy Sans is copyright ©2002 by The FontSite. All rights reserved. [sans]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé

URW Grotesk

```
\usepackage[osf,rm]{grotesk} % 5gq
```

URW Grotesk is copyright ©2002 by The FontSite. All rights reserved. [sans sc osf expert extended]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ
bx7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bix7t	b:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
bcj7t	b:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ
hx7t	hb:n	Waffle ‘figlery’ 246 Phœnîx flambé
hix7t	hb:it	Waffle ‘figlery’ 246 Phœnîx flambé

Handel Gothic

```
\usepackage[sf]{handelgo} % 5hg
```

Handel Gothic is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
-----	-----	---

Harlem Nights

```
\usepackage[sf]{harlemnii} % 5hn
```

Harlem Nights is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
-----	-----	---

Hobo

```
\usepackage[sf]{hobo} % 5hb
```

Hobo is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
-----	-----	---

Honeymoon

```
\usepackage[sf]{honeymoon} % 5hm
```

Honeymoon is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
-----	-----	---

Horndon

```
\usepackage[sf]{horndon} % 5ho
```

Horndon is copyright ©2002 by The FontSite. All rights reserved. [deco]

r7t m:n **WAFFLE ‘FIGLERY’ 246 PHœNIX FLAMBÉ**

Hudson

```
\usepackage[sf]{hudson} % 5hu
```

Hudson is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t m:n ***Waffle ‘figlery’ 246 Phoenix flambé***

Huxley Vertical

```
\usepackage[sf]{huxleyvr} % 5hx
```

Huxley Vertical is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE ‘FIGLERY’ 246 PHœNIX FLAMBÉ**

Isabell

```
\usepackage[sf]{isabell} % 5iz
```

Isabell is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

b7t b:n **Waffle ‘figlery’ 246 Phœnix flambé**

Jenson Recut

```
\usepackage[sf]{jensonr} % 5jr
```

This face is similar to Monotype Centaur. In the bold variant, a multiplication sign appears where ‘fi’ should, so I deleted it and synthesized my own. You can access the original in the ‘8r’ encoding. Jenson Recut is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [garalde]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

ri7t m:it ***Waffle ‘figlery’ 246 Phœnix flambé***

ro7t m:sl ***Waffle ‘figlery’ 246 Phœnix flambé***

b7t b:n **Waffle ‘figlery’ 246 Phœnix flambé**

bo7t b:sl **Waffle ‘figlery’ 246 Phœnix flambé**

Jessica

```
\usepackage[sf]{jessica} % 5js
```

This face is also known as Joanna. Jessica is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [trans]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé
bo7t	b:sl	Waffle ‘figlery’ 246 Phœnîx flambé

LanstonBell

```
\usepackage[sf]{lanstonb} % 5lb
```

LanstonBell is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [trans]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>

Lanston Koch

```
\usepackage[rm]{lanstonk} % 5lk
```

Lanston Koch is copyright ©2002 by The FontSite. All rights reserved. [sans extended]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé
l7t	l:n	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
li7t	l:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>

URW Latino

```
\usepackage[sf]{latino} % 5la
```

This face is also known as Melior. URW Latino is copyright ©2002 by The FontSite. All rights reserved. [slab expert]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
bx7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bix7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé

Legend

```
\usepackage[sf]{legend} % 5le
```

Legend is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	<i>Wafflē ‘figlery’ 246 Phœnix flambē</i>
-----	-----	---

Letter Gothic

```
\usepackage[rm]{lettrgth} % 5lg
```

Letter Gothic is copyright ©2002 by The FontSite. All rights reserved. [sans mono extended]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bo7t	b:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
x7t	eb:n	Waffle ‘figlery’ 246 Phœnîx flambé

Linden

```
\usepackage[sf]{linden} % 5ln
```

Linden is copyright ©2002 by The FontSite. All rights reserved. [uncial]

r7t	m:n	<i>Wafflē ‘figlery’ 246 Phœnix flambē</i>
-----	-----	---

Linedraw Fixed

```
\usepackage{pifont} % \Pifont{5ld}
```

Linedraw Fixed is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n ◀↑apple¶§

"21 ! ☺	"22 ☺	"23 # ♥	"24 \$ ♦	"25 % ♣
"26 & ♠	"27 ' •	"28 (☐	"29) °	"2a * ☒
"2b + ♂	"2c , ♀	"2d - ♪	"2e . ♫	"2f / ☞
"30 0 ►	"31 1 ◀	"32 2 ↑	"33 3 ☹	"34 4 ¶
"35 5 ☸	"36 6 ☻	"37 7 ↓	"38 8 ↑	"39 9 ↓
"3a : →	"3b ; ←	"3c L	"3d = ↔	"3e ▲
"3f ? ▼	"40 H	"41 A ≠	"42 B ∪	"5f _ —
"60 ' —	"61 a	"7c	"7d █	"7e ~
"7f	"9e Pts	"a9 █	"aa █	"ab ½
"ac ¼	"b0 ████	"b1 ████	"b2 ████	"b3
"b4	"b5	"b6	"b7	"b8
"b9	"ba	"bb	"bc	"bd
"be	"bf █	"c0	"c1	"c2 T
"c3	"c4 —	"c5 +	"c6 F	"c7 T
"c8 L	"c9 F	"ca L	"cb T	"cc F
"cd =	"ce F	"cf L	"d0 T	"d1 T
"d2 T	"d3 F	"d4 L	"d5 F	"d6 F
"d7 +	"d8 #	"d9	"da	"db █
"dc █	"dd	"de	"df █	"e0 α
"e1 β	"e2 T	"e3 Π	"e4 Σ	"e5 σ
"e6 μ	"e7 T	"e8 Φ	"e9 Θ	"ea Ω
"eb δ	"ec ∞	"ed █	"ee ε	"ef ∩
"f0 ≡	"f1 ±	"f2 ≥	"f3 ≤	"f4 ∫

"f5 ∫ "f6 ÷ "f7 ≈ "f8 ° "f9 •
 "fa "fb √ "fc n "fd ²

Litho Antique

```
\usepackage[osf,sf]{lithoant} % 5li
```

Litho Antique is copyright ©2002 by The FontSite. All rights reserved. [slab extended sc osf expert]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ
bx7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bix7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé
hx7t	hb:n	Waffle ‘figlery’ 246 Phœnîx flambé
lx7t	l:n	Waffle ‘figlery’ 246 Phœnîx flambé
lix7t	l:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
lcj7t	l:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ

Lydian

```
\usepackage[sf]{lydian} % 5ly
```

Lydian is copyright ©2002 by The FontSite. All rights reserved. [freeform]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé

Melville

```
\usepackage[sf]{melville} % 5mv
```

This face is also known as Murray Hill ATF. Melville is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
-----	-----	---

Mercedes

```
\usepackage[sf]{mercedes} % 5me
```

Mercedes is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bo7t	b:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>

Micro Square

```
\usepackage[osf,rm]{microsq} % 5mq
```

This face is also known as Eurostyle and Microgramma. Micro Square is copyright ©2002 by The FontSite. All rights reserved. [sans sc osf expert]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
rcj7t	m:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ
rox7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
bx7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bcj7t	b:sc	WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ
box7t	b:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>

Mistral

```
\usepackage[sf]{mistral} % 5ms
```

A multiplication sign appears where ‘fi’ should, so I deleted it and synthesized my own. You can access the original in the ‘8r’ encoding. Mistral is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	<i>Waffle ‘figlery’ 246 Phoenix flambe</i>
-----	-----	--

Modern 216

```
\usepackage[sf]{modern} % 5mo
```

Modern 216 is copyright ©2002 by The FontSite. All rights reserved. [modern]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bi7t	b:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>

Mona Lisa

```
\usepackage[sf]{monalisa} % 5ml
```

Mona Lisa is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
-----	-----	------------------------------------

New Baskerville

```
\usepackage[sf]{nbaskerv} % 5nb
```

Spacing is horribly broken on the ligatures and accented characters. I'm not sure how to fix it. New Baskerville is copyright ©2002 by The FontSite. All rights reserved. [trans extended]

r7t	m:n	Waffle ‘figl ery’ 246 Phœnîx flambé
ri7t	m:it	<i>Waffle ‘fgl ery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figl ery’ 246 Phœnîx flambé
bi7t	b:it	<i>Waffle ‘fgl ery’ 246 Phœnîx flambé</i>
s7t	sb:n	Waffle ‘figl ery’ 246 Phœnîx flambé
si7t	sb:it	<i>Waffle ‘fgl ery’ 246 Phœnîx flambé</i>

Nicolas Cochin

```
\usepackage[osf,sf]{ncochin} % 5nc
```

Nicolas Cochin is copyright ©2002 by The FontSite. All rights reserved. [trans osf]

rj7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rij7t	m:it	<i>Waffle figlery’ 246 Phœnîx flambé</i>
bj7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé

News Gothic

```
\usepackage[osf,rm]{newsgoth} % 5ng
```

News Gothic is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [sans sc osf]

r7t	m:n	Waffle ‘figłery’ 246 Phœnix flambé
rcj7t	m:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
r2o7t	m:scsl	<i>WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ</i>
ro7t	m:sl	<i>Waffle ‘figłery’ 246 Phœnix flambé</i>
b7t	b:n	Waffle ‘figłery’ 246 Phœnix flambé
bo7t	b:sl	Waffle ‘figłery’ 246 Phœnix flambé
lcj7t	l:sc	WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ
l2o7t	l:scsl	<i>WAFFLE ‘FIGŁERY’ 246 PHŒNÎX FLAMBÉ</i>

Nissan

```
\usepackage[sf]{nissan} % 5ns
```

Nissan is copyright ©2002 by The FontSite. All rights reserved. [deco]

r7t	m:n	Waffle ‘figłery’ 246 Phœnix flambé
-----	-----	---

OCR

```
\usepackage[sf]{ocr} % 5oc
```

I have combined two variants into one family. The ‘normal’ shape is OCR-B, and the ‘alt’ shape is OCR-A. OCR is copyright ©2003 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figłery’ 246 Phœnix flambé
ra7t	m:alt	Waffle ‘figłery’ 246 Phœnix flambé

Olde English

```
\usepackage[sf]{oldengli} % 5oe
```

Olde English is copyright ©2002 by The FontSite. All rights reserved. [blacklet]

r7t	m:n	Waffle ‘figłery’ 246 Phœnix flambé
-----	-----	---

Old Town

```
\usepackage[sf]{oldtown} % 5ot
```

Old Town is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

Onyx

```
\usepackage[sf]{onyx} % 5ox
```

Onyx is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

Opus

```
\usepackage[osf,rm]{opus} % 5op
```

This is essentially the same face as the widely-used Optima by Linotype. Opus is copyright ©2002 by The FontSite. All Rights Reserved. [sans sc osf]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**
 ri7t m:it *Waffle ‘figlery’ 246 Phœnix flambé*
 rcj7t m:sc **WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ**
 b7t b:n **Waffle ‘figlery’ 246 Phœnix flambé**
 bi7t b:it **Waffle ‘figlery’ 246 Phœnix flambé**
 bcj7t b:sc **WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ**

Orator

```
\usepackage[rm]{orator} % 5or
```

Orator is copyright ©2002 by The FontSite. All rights reserved. [sans sc mono]

r7t m:n **WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ**
 ro7t m:sl *WAFFLE ‘FIGLERY’ 246 PHŒNÎX FLAMBÉ*

Paddington

```
\usepackage[sf]{paddingt} % 5pd
```

Paddington is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

URW Palladio

```
\usepackage[osf,sf]{palladio} % 5pl
```

Spacing is broken on the ligatures and accented characters of the medium-weight font. This face is also known as Palatino. URW Palladio is copyright ©2002 by The FontSite. All rights reserved. [garalde sc osf expert]

rx7t	m:n	Waffle 'figl ery' 246 Phœnîx flambé
rix7t	m:it	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
rcj7t	m:sc	WAFFLE 'FIGLERY' 246 PHŒNÎX FLAMBÉ
bx7t	b:n	Waffle 'figlery' 246 Phœnîx flambé
bix7t	b:it	<i>Waffle 'figlery' 246 Phœnîx flambé</i>

Parisian

```
\usepackage[sf]{parisian} % 5ps
```

Parisian is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle 'figlery' 246 Phœnîx flambé
-----	-----	---

Park Avenue

```
\usepackage[sf]{parkave} % 5pa
```

Park Avenue is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	<i>Waffl�� 'figl��ry' 246 Ph��enîx flamb��</i>
-----	-----	--

ATF Peignot

```
\usepackage[sf]{peignot} % 5pg
```

ATF Peignot is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle 'figlery' 246 Phœnîx flamb��
-----	-----	--

Pericles

```
\usepackage[sf]{pericles} % 5pe
```

Pericles is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFL�� FIGL��RY 246 PHOENIX FLAMB��
-----	-----	---

Phyllis

```
\usepackage[sf]{phyllis} % 5ph
```

Phyllis is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t m:n *Waffle figlery' 246 Phœnrx flambe*

ri7t m:it *Waffle figlery' 246 Phœnîx flambé*

Picto

```
\usepackage{pifont} % \Pifont{5pi}
```

Picto is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n

"21 !	"22 ,	"23 #	"24 \$	"25 %
"26 &	"27 ,	"28 ("29)	"2a *
"2b +	"2c ,	"2d -	"2e .	"2f /
"30 0	"31 1	"32 2	"33 3	"34 4
"35 5	"36 6	"37 7	"38 8	"39 9
"3a :	"3b ;	"3c X	"3d =	"3e ^
"3f ?	"41 A	"42 B	"43 C	"44 D
"45 E	"46 F	"47 G	"48 H	"49 I
"4a J	"4b K	"4c L	"4d M	"4e N
"4f O	"50 P	"51 Q	"52 R	"53 S
"54 T	"55 U	"56 V	"57 W	"58 X
"59 Y	"5a Z	"5b ["5c	"5d]
"5e ^	"60 '	"61 a	"62 b	"63 c
"64 d	"65 e	"66 f	"67 g	"68 h
"69 i	"6a j	"6b k	"6c l	"6d m
"6e n	"6f o	"70 p	"71 q	"72 r
"73 s	"74 t	"75 u	"76 v	"77 w
"78 x	"79 y	"7a z	"7b	"7c
"7d	"7e			

Pinocchio

```
\usepackage[sf]{pinocch} % 5pn
```

Pinocchio is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **WAFFLE 'FIGLERY' 246 PHÆNÍX FLAMBÉ**

Plakette

```
\usepackage[sf]{plakette} % 5pk
```

Plakette is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle 'figlery' 246 Phœnix flambé**

b7t b:n **Waffle 'figlery' 246 Phœnix flambé**

Platinum Blonde

```
\usepackage[sf]{platinum} % 5pb
```

Platinum Blonde is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle 'figlery' 246 Phœnix flambé**

Platz

```
\usepackage[sf]{platz} % 5bc
```

On the 2000 CD, this was called “Block” and the package was ‘block’. Platz is copyright ©2002 by The FontSite. All Rights Reserved. The slanted form is artificial. [decor]

r7t m:n **Waffle 'figlery' 246 Phœnix flambé**

ro7t m:sl **Waffle 'figlery' 246 Phœnix flambé**

r7tc mc:n **Waffle 'figlery' 246 Phœnix flambé**

ro7tc mc:sl **Waffle 'figlery' 246 Phœnix flambé**

b7t b:n **Waffle 'figlery' 246 Phœnix flambé**

bo7t b:sl **Waffle 'figlery' 246 Phœnix flambé**

Plaza

```
\usepackage[sf]{plaza} % 5pz
```

Plaza is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
ra7t	m:alt	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
rd7t	m:dp	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
b7t	b:n	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
bd7t	b:dp	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ

Publicity

```
\usepackage[sf]{publicit} % 5pu
```

Publicity is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
-----	-----	---

Reflex

```
\usepackage[sf]{reflex} % 5rx
```


Reflex is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ
-----	-----	---

Road Signs

\usepackage{pifont} % \Pifont{5ro}

Road Signs is copyright ©2002 by The FontSite. All rights reserved. [symbol]



Rosslaire

```
\usepackage[sf]{rosslair} % 5rs
```

A multiplication sign appears where ‘fi’ should, so I deleted it and synthesized my own. You can access the original in the ‘8r’ encoding. Rosslaire is copyright ©2002 by The FontSite. All rights reserved. [uncial]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

Salut

```
\usepackage[sf]{salut} % 5sa
```

Salut is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

Savoy

```
\usepackage[osf,sf]{savoy} % 5sv
```

This face is also known as Sabon. Savoy is copyright ©2002 by The FontSite. All rights reserved. [garalde sc osf expert]

rx7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

rix7t m:it **Waffle ‘figlery’ 246 Phœnix flambé**

rcj7t m:sc **WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ**

bx7t b:n **Waffle ‘figlery’ 246 Phœnix flambé**

bcj7t b:sc **WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ**

Schnittger

```
\usepackage[osf,sf]{schnittg} % 5sn
```

This face is also known as Schneidler. Schnittger is copyright ©2002 by The FontSite. All rights reserved. [garalde sc osf]

r7t m:n **Waffle ‘figlery’ 246 Phœnix flambé**

ri7t m:it **Waffle ‘figlery’ 246 Phœnix flambé**

rcj7t m:sc **WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ**

b7t b:n **Waffle ‘figlery’ 246 Phœnix flambé**

bi7t b:it **Waffle ‘figlery’ 246 Phœnix flambé**

bcj7t b:sc **WAFFLE ‘FIGLERY’ 246 PHŒNIX FLAMBÉ**


Sean Symbols

\usepackage{pifont} % \Pifont{5ss}

Sean Symbols is copyright ©2002 by The FontSite. All rights reserved. [symbol]

r7z m:n ♥△□▲◆

"21 !	①	"22 ☎	③	"23 #	④	"24 \$	⑤
"26 &	⑦	"27 ,	⑨	"28 (⑩	"29)	⑧
"2b +	👉	"2c ,	◀	"2d -	👉	"2e .	▶
"30 0	⑩	"31 1	①	"32 2	②	"33 3	③
"35 5	⑤	"36 6	⑥	"37 7	⑦	"38 8	⑧
"3a :	👉	"3b ;	👉	"3c →	👉	"3d =	👉
"3f ?	?	"40 ②	②	"41 A	⚡	"42 B	⚡
"44 D	☂	"45 E	ⓘ	"46 F	✉	"47 G	HD
"49 I	🔓	"4a J	🔒	"4b K	👑	"4c L	⚡
"4e N	□	"4f O	○	"50 P	🍏	"51 Q	🐳
"53 S	⚜	"54 T	---	"55 U	---	"56 V	---
"58 X	۾	"59 Y	☀️	"5a Z	☀️	"5b [☀️
"5d]	„	"5e ^	⑥	"5f _	ⓧ	"60 ‘	☀️
"62 b	💣	"63 c	💀	"64 d	⭐	"65 e	☁️
"67 g	✝	"68 h	❤️	"69 i	△	"6a j	□
"6c l	◆	"6d m	■	"6e n	■	"6f o	●
"71 q	♻️	"72 r	♻️	"73 s	♻️	"74 t	🍎
"76 v	-avatar	"77 w	✡	"78 x	✖	"79 y	⌚
"7b	◀	"7c	⠇	"7d	▶	"7e	◀
"82	♂	"83	⑯	"84	♀	"85	✚
"87	+	"88	⑯	"89	✳️	"8a	*
"8c	•	"91	🌐	"92	🇺🇸	"8b	☰ DINERS CLUB
"96	🅿️	"97	Ⓜ️	"99	✋	"93	⭐
"9c	●	"9f	☢️	"a1	⑪	"9a	✳️
"a4	€	"a5	🤴	"a7	⑯	"a2	⑯
		"a5	🤴	"a7	⑯	"a8	🔍
		"a5	🤴	"a7	⑯	"a9	⌚



Serific

```
\usepackage[sf]{serific} % 5sf
```

This face is also known as *Serifa*. *Serific* is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [slab]

r7t	m:n	Waffle 'figlery' 246 Phœnix flambé
ro7t	m:sl	<i>Waffle 'figlery' 246 Phœnix flambé</i>
b7t	b:n	Waffle 'figlery' 246 Phœnix flambé
bo7t	b:sl	Waffle 'figlery' 246 Phœnix flambé

Stop

```
\usepackage[sf]{stop} % 5st
```

Stop is copyright ©2002 by The FontSite. All Rights Reserved. [decor]

r7t	m:n	WAFFLE 'FIGLERY' 246 PHœNIX FLAMBÉ
-----	-----	---

Struktur

```
\usepackage[rm]{struktur} % 5sx
```

This face was known as Syntax on other CDs. Struktur is copyright ©2002 by The FontSite. All rights reserved. [sans extended]

r7t	m:n	Waffle 'figlery' 246 Phœnix flambé
ri7t	m:it	<i>Waffle 'figlery' 246 Phœnix flambé</i>
b7t	b:n	Waffle 'figlery' 246 Phœnix flambé
h7t	hb:n	Waffle 'figlery' 246 Phœnix flambé

Tarrington

```
\usepackage[sf]{tarringt} % 5ta
```

Tarrington is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>
-----	-----	---

Teresita Script

```
\usepackage[sf]{teresita} % 5te
```

Teresita Script is copyright ©2000 by The FontSite. All Rights Reserved. [script]

r7t	m:n	<i>Waffle 'figlery' 246 Phœnix flambé</i>
-----	-----	---

Ticonderoga

```
\usepackage[sf]{ticonder} % 5ti
```

Ticonderoga is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle 'figlery' 246 Phœnix flambé
-----	-----	---

Toxica

```
\usepackage[sf]{toxica} % 5tx
```

Toxica is copyright ©2001 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle 'figlery' 246 Phœnix flambé
-----	-----	---

Typewriter

```
\usepackage[sf]{typewrit} % 5ty
```

This is also known as American Typewriter ITC. Typewriter is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [slab extended]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ri7t	m:it	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
r7tc	mc:n	Waffle ‘figlery’ 246 Phœnix flambé
ro7tc	mc:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bi7t	b:it	Waffle ‘figlery’ 246 Phœnix flambé
bo7t	b:sl	Waffle ‘figlery’ 246 Phœnix flambé
b7tc	bc:n	Waffle ‘figlery’ 246 Phœnix flambé
bo7tc	bc:sl	Waffle ‘figlery’ 246 Phœnix flambé

Typo Upright

```
\usepackage[sf]{typo} % 5tu
```

Typo Upright is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
-----	-----	------------------------------------

Unitus

```
\usepackage[rm]{unitus} % 5un
```

This face is also known as Univers. Unitus is copyright ©2002 by The FontSite. All rights reserved. [sans extended]

r7t	m:n	Waffle 'figlery' 246 Phœnîx flambé
ri7t	m:it	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
r7tc	mc:n	Waffle 'figlery' 246 Phœnîx flambé
ri7tc	mc:it	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
b7t	b:n	Waffle 'figlery' 246 Phœnîx flambé
bi7t	b:it	Waffle 'figlery' 246 Phœnîx flambé
b7tc	bc:n	Waffle 'figlery' 246 Phœnîx flambé
bi7tc	bc:it	Waffle 'figlery' 246 Phœnîx flambé
h7t	hb:n	Waffle 'figlery' 246 Phœnîx flambé
hi7t	hb:it	Waffle 'figlery' 246 Phœnîx flambé
h7tc	hbc:n	Waffle 'figlery' 246 Phœnîx flambé
hi7tc	hbc:it	Waffle 'figlery' 246 Phœnîx flambé
l7t	l:n	Waffle 'figlery' 246 Phœnîx flambé
li7t	l:it	<i>Waffle 'figlery' 246 Phœnîx flambé</i>
l7tc	lc:n	Waffle 'figlery' 246 Phœnîx flambé
li7tc	lc:it	<i>Waffle 'figlery' 246 Phœnîx flambé</i>

University Old Style

```
\usepackage[sf]{univeros} % 5uo
```

This is also known as Berkeley Old Style (ITC). University Old Style is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [garalde expert]

rx7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
rix7t	m:it	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
rox7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
bx7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bix7t	b:it	Waffle ‘figlery’ 246 Phœnîx flambé
box7t	b:sl	Waffle ‘figlery’ 246 Phœnîx flambé

VAG Rounded

```
\usepackage[sf]{vaground} % 5vr
```

Dunkin’ Donuts anyone? This is also known as VAG Rundschrift. VAG Rounded is copyright ©2002 by The FontSite. All rights reserved. [decor]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
-----	-----	---

Vendome

```
\usepackage[sf]{vendome} % 5ve
```

Vendome is copyright ©2002 by The FontSite. All Rights Reserved. The slanted form is artificial. [garalde]

r7t	m:n	Waffle ‘figlery’ 246 Phœnîx flambé
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnîx flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnîx flambé
bo7t	b:sl	Waffle ‘figlery’ 246 Phœnîx flambé

Vivaldi

```
\usepackage[sf]{vivaldi} % 5vv
```

Vivaldi is copyright ©2002 by The FontSite. All rights reserved. [script]

r7t	m:n	<i>Waffle figlery’ 246 Phœnîx flambé</i>
-----	-----	--

Walbaum

```
\usepackage[sf]{walbaum} % 5wb
```

Walbaum is copyright ©2002 by The FontSite. All rights reserved. The slanted form is artificial. [modern]

r7t	m:n	Waffle ‘figlery’ 246 Phœnix flambé
ro7t	m:sl	<i>Waffle ‘figlery’ 246 Phœnix flambé</i>
b7t	b:n	Waffle ‘figlery’ 246 Phœnix flambé
bo7t	b:sl	Waffle ‘figlery’ 246 Phœnix flambé

7 Classifications

7.1 Expert Sets

These are the faces which have expert sets integrated.

[URW Antiqua], page 14

76¢ Rp£ ffi $\frac{12}{45}$

[Barbedor], page 19

76¢ Rp£ ffiſj $\frac{12}{45}$

[Baskerville], page 20

76¢ £ ffiſj $\frac{12}{45}$

[Bergamo], page 22

76¢ Rp£ ffiſj $\frac{12}{45}$

[Bodoni], page 23

76¢ Rp£ ffi $\frac{12}{45}$

[Caslon], page 24

76¢ Rp£ ffiſj $\frac{12}{45}$

[Century Old Style], page 24

76¢ £ ffi $\frac{12}{45}$

[ATF Clearface], page 28

76¢ Rp£ ffi $\frac{12}{45}$

[English Serif], page 34

76¢ £ ffi $\frac{12}{45}$

[Garamond], page 39

76¢ Rp£ ffiſj $\frac{12}{45}$

[URW Grotesk], page 42

76¢ Rp£ ffi $\frac{12}{45}$

[URW Latino], page 45

76¢ Rp£ ffi $\frac{12}{45}$

[Litho Antique], page 47

76¢ Rp£ ffi $\frac{12}{45}$

[Micro Square], page 48

76¢ Rp£ ffi $\frac{12}{45}$

[URW Palladio], page 52

76¢ £ ffi $\frac{12}{45}$

[Savoy], page 57

76¢ £ ffi $\frac{12}{45}$

[University Old Style], page 63

76¢ Rp£ ffi $\frac{12}{45}$

7.2 Small Caps

- [Antique Olive], page 18
 - [Bank Gothic], page 19
 - [Barbedor], page 19
 - [Bergamo], page 22
 - [Bodoni], page 23
 - [Century Old Style], page 24
 - [Engravers Gothic], page 33
 - [Engravers Litho], page 34
 - [English Serif], page 34
 - [Franklin Gothic], page 36
 - [Function], page 38
 - [Garamond], page 39
 - [URW Grotesk], page 42
 - [Litho Antique], page 47
 - [Micro Square], page 48
 - [News Gothic], page 50
 - [Opus], page 51
 - [Orator], page 51
 - [URW Palladio], page 52
 - [Savoy], page 57
 - [Schnittger], page 57

7.3 Old-Style Figures

[Antique Olive], page 18	I236
[Barbedor], page 19	1236
[Bergamo], page 22	I236
[Bodoni], page 23	1236
[Caslon Antique], page 23	I236
[Century Old Style], page 24	1236
[English Serif], page 34	I236
[Franklin Gothic], page 36	1236
[Function], page 38	1236
[Garamond], page 39	I236
[URW Grotesk], page 42	1236
[Litho Antique], page 47	1236
[Micro Square], page 48	1236
[Nicolas Cochin], page 49	1236
[News Gothic], page 50	1236
[Opus], page 51	1236
[URW Palladio], page 52	1236
[Savoy], page 57	I236
[Schnittger], page 57	I236

7.4 Weights and Widths

- [Antique Olive], page 18
- [Bank Gothic], page 19
- [Bodoni], page 23
- [Chantilly], page 25
- [Cheltenham], page 26
- [Clarendon], page 27
- [ATF Clearface], page 28
- [Engravers Gothic], page 33
- [Franklin Gothic], page 36
- [Function], page 38
- [Garamond Condensed], page 39
- [Glytus], page 40
- [URW Grotesk], page 42
- [Lanston Koch], page 44
- [Letter Gothic], page 45
- [Litho Antique], page 47
- [New Baskerville], page 49
- [Struktur], page 60
- [Typewriter], page 61
- [Unitus], page 62

aad a
 AAAAAA
 aaa
 aaa a
 aaaaaa
 aaaa
 aaa
 AAAA
 aaaaa
 aaaaaa aa
 aaa
 aa a
 aad
 aad
 aad
 aad a
 aaa
 aaa
 aaaa
 aaaaaaaa

7.5 Garalde/Venetian

- [Bergamo], page 22
 - [Caslon], page 24
 - [Garamond Condensed], page 39
 - [Garamond], page 39
 - [Goudy Old Style], page 41
 - [Jenson Recut], page 43
 - [URW Palladio], page 52
 - [Savoy], page 57
 - [Schnittger], page 57
 - [University Old Style], page 63
 - [Vendome], page 63

7.6 Transitional

- [URW Antiqua], page 14
 - [Baskerville], page 20
 - [Century Old Style], page 24
 - [ATF Clearface], page 28
 - [English Serif], page 34
 - [Jessica], page 44
 - [LanstonBell], page 44
 - [New Baskerville], page 49
 - [Nicolas Cochin], page 49

7.7 Modern/Didone

- [Basel], page 20
- [Bodoni], page 23
- [Modern 216], page 49
- [Walbaum], page 64

Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy

7.8 Free Form

- [Barbedor], page 19
- [Bernhard Modern], page 22
- [Della Robbia], page 32
- [Engravers Litho], page 34
- [Flanders], page 36
- [Lydian], page 47

Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
AABEFGOP, OQUY
Aabefgop, Oquy
Aabefgop, Oquy

7.9 Sans Serif

- [Antique Olive], page 18
 - [Avalon], page 18
 - [Bank Gothic], page 19
 - [Benjamin Gothic], page 21
 - [Chantilly], page 25
 - [Cori Sans], page 30
 - [Engravers Gothic], page 33
 - [Fette Engschrift], page 35
 - [Fette Mittelschrift], page 35
 - [Franklin Gothic], page 36
 - [FontSite Sans], page 37
 - [Function], page 38
 - [Goudy Sans], page 41
 - [URW Grotesk], page 42
 - [Lanston Koch], page 44
 - [Letter Gothic], page 45
 - [Micro Square], page 48
 - [News Gothic], page 50
 - [Opus], page 51
 - [Orator], page 51
 - [Struktur], page 60
 - [Unitus], page 62

7.10 Slab Serif

- [Cheltenham], page 26
- [Clarendon], page 27
- [Egyptian], page 32
- [Glytus], page 40
- [URW Latino], page 45
- [Litho Antique], page 47
- [Serific], page 59
- [Typewriter], page 61

Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy

7.11 Blackletter

- [Alte Schwabacher], page 13
- [Engravers Old English], page 34
- [Fette Fraktur], page 35
- [Fette Gotisch], page 35
- [Olde English], page 50

Abefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy

7.12 Uncial/Mediaeval

- [American Uncial], page 14
- [Linden], page 45
- [Rosslaire], page 57

aabefgop, oquy
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy

7.13 Script

- [Bernhard Tango], page 22
 - [Brody], page 23
 - [Commercial Script], page 30
 - [Deanna Script], page 31
 - [Function Script], page 38
 - [Gillies Gothic], page 40
 - [Hudson], page 43
 - [Legend], page 45
 - [Melville], page 47
 - [Mistral], page 48
 - [Park Avenue], page 52
 - [Phyllis], page 53
 - [Tarrington], page 60
 - [Teresita Script], page 60
 - [Typo Upright], page 61
 - [Vivaldi], page 63

7.14 Decorative

[Abbot Old Style], page 13
 [Arnold Boecklin], page 13
 [Ad Lib], page 13
 [Advertisers Gothic], page 13
 [Algerian], page 13
 [Belwe], page 21
 [Ben Franklin], page 21
 [Binner], page 22
 [Caslon Antique], page 23
 [Chisel], page 26
 [Chromatic], page 26
 [Churchward], page 27
 [Cipollini], page 27
 [Collner Grotesk], page 28
 [Copperplate Gothic], page 30
 [Coronado], page 30
 [Davida], page 30
 [Delphian], page 32
 [Dresden], page 32
 [Dynamo], page 32
 [Eldamar], page 33
 [Elefont], page 33
 [Embie], page 33
 [Empire ATF], page 33
 [Engravers Roman], page 34

Aabefgop, Oquy
aabefgop, 0quy
Aabefgop, Oquy
Aabefgop, Oquy
AABEFGOP, OQUY
 Aabefgop, Oquy
Aabefgop, Oquy
AABEFGOP, OQUY
Aabefgop, Oquy
AABEFGOP, OQUY
 Aabefgop, Oquy
Aabefgop, Oquy
AABEFGOP, OQUY
Aabefgop, Oquy
AABEFGOP, OQUY
 Aabefgop, Oquy
Aabefgop, Oquy
AABEFGOP, OQUY
Aabefgop, Oquy
AABEFGOP, OQUY
 Aabefgop, Oquy
AABEFGOP, OQUY
Aabefgop, Oquy
AABEFGOP, OQUY
 Aabefgop, Oquy
AABEFGOP, OQUY

[Erbar Deco], page 35

[Gallia], page 39

[Glaser Stencil], page 40

[Goudy Handtooled], page 40

[Handel Gothic], page 42

[Harlem Nights], page 42

[Hobo], page 42

[Honeymoon], page 42

[Huxley Vertical], page 43

[Isabell], page 43

[Mercedes], page 48

[Mona Lisa], page 49

[OCR], page 50

[Old Town], page 51

[Onyx], page 51

[Paddington], page 51

[Parisian], page 52

[ATF Peignot], page 52

[Pericles], page 52

[Pinocchio], page 54

[Plakette], page 54

[Platinum Blonde], page 54

[Platz], page 54

[Plaza], page 55

[Publicity], page 55

[Reflex], page 55

AABEFGOP, OQUY

AABEFGOP,
OQUY

AABEFGOP, OQUY

Aabefgop, Oquy

Aabefgop, Oquy

Aabefgop, Oquy

Aabefgop, Oquy

Aabefgop, Oquy

AABEGOP, OQUY


Aabefgop, OQUY

- [Salut], page 57
- [Stop], page 59
- [Ticonderoga], page 60
- [Toxica], page 60
- [VAG Rounded], page 63

**Aabefgop, Oquy
ՃՃԵՒԳՈՊ, ՕՔԱՅ
Aabefgop, Oquy
Aabefgop, Oquy
Aabefgop, Oquy**

7.15 Symbol

- [Arrows], page 15
- [Arrows X], page 16
- [Arrows Y], page 17
- [Chap Borders], page 25
- [CombiNumerals], page 29
- [Deanna Borders], page 31
- [Deanna Flowers], page 31
- [Linedraw Fixed], page 46
- [Picto], page 53
- [Road Signs], page 56
- [Sean Symbols], page 58



8 Index

.	
.dvi	6
.fd	6
.pfb	5
.tfm	6
.tgz	9
.vf	6

A

ab (Arnold Boecklin)	13
Abbot Old Style at	13
ad (Advertisers Gothic)	13
Ad Lib a1	13
Advertisers Gothic ad	13
ag (Algerian)	13
a1 (Ad Lib)	13
Algerian ag	13
Alte Schwabacher as	13
American Typewriter	61
American Uncial au	14
Antique Olive ao	18
ao (Antique Olive)	18
aq (URW Antiqua)	14
ar (Arrows)	15
Arnold Boecklin ab	13
Arrows ar	15
Arrows X ax	16
Arrows Y ay	17
as (Alte Schwabacher)	13
at (Abbot Old Style)	13
ATF	2
ATF Clearface cf	28
ATF Peignot pg	52
au (American Uncial)	14
av (Avalon)	18
Avalon av	18
ax (Arrows X)	16
ay (Arrows Y)	17

B

ba (Barbedor)	19
Bank Gothic kg	19
Barbedor ba	19
Basel bs	20
Basilia	20
Baskerville bv	20
bc (Platz)	54
bd (Bodoni)	23
Belwe b1	21
Bembo	22
Ben Franklin bf	21
Benguiat Gothic	21

Benjamin Gothic bg	21
Bergamo bo	22
Berkeley Old Style	63
‘berlgrot’	28
Berliner Grotesk	28
Bernhard Modern bm	22
Bernhard Tango bt	22
Berry, Karl	2
bf (Ben Franklin)	21
bg (Benjamin Gothic)	21
Binner bn	22
bk (Collner Grotesk)	28
b1 (Belwe)	21
blackletter	72
‘block’	54
Block	54
bm (Bernhard Modern)	22
bn (Binner)	22
bo (Bergamo)	22
Bodoni bd	23
br (Brody)	23
Brody br	23
bs (Basel)	20
bt (Bernhard Tango)	22
bv (Baskerville)	20

C

ca (Caslon)	24
Caslon Antique cq	23
Caslon ca	24
cb (Chap Borders)	25
cd (Clarendon)	27
Centaur	43
Century Old Style cu	24
cf (ATF Clearface)	28
ch (Chantilly)	25
changes	3
Chantilly ch	25
Chap Borders cb	25
Cheltenham ct	26
Chisel cz	26
Chromatic cr	26
Churchward cw	27
ci (Cipollini)	27
Cipollini ci	27
Clarendon cd	27
cm (Commercial Script)	30
cn (CombiNumerals)	29
co (Coronado)	30
Collner Grotesk bk	28
CombiNumerals cn	29
Commercial Script cm	30
Copperplate Gothic cp	30
copying files	6

Cori Sans cs	30	er (Engravers Roman)	34
Cork (ri) encoding	2	Erbar Deco eb	35
Coronado co	30	es (English Serif)	34
cp (Copperplate Gothic)	30	Esser, Thomas	5
cpf _b script	6	Eurostyle	48
cq (Caslon Antique)	23	expert sets	65
cr (Chromatic)	26	extended families	68
cs (Cori Sans)	30		
ct (Cheltenham)	26		
cu (Century Old Style)	24		
cw (Churchward)	27		
Cygwin	9		
cz (Chisel)	26		
D			
da (David)	30	fe (Fette Engschrift)	35
David da	30	Fette Engschrift fe	35
db (Deanna Borders)	31	Fette Fraktur ft	35
de (Della Robbia)	32	Fette Gotisch fh	35
Deanna Borders db	31	Fette Mittelschrift fm	35
Deanna Flowers df	31	fff and fft ligatures	8
Deanna Script dn	31	fg (Franklin Gothic)	36
decorative	74	fh (Fette Gotisch)	35
Della Robbia de	32	f1 (Flanders)	36
Delphian dp	32	Flanders f1	36
df (Deanna Flowers)	31	fm (Fette Mittelschrift)	35
didone	70	fn (FontSite Sans)	37
dn (Deanna Script)	31	font definitions (.fd)	6
dp (Delphian)	32	fontinst	2
dr (Dresden)	32	fontname	2
Dresden dr	32	'fontseries'	10
dvips	7	'fontshape'	10
dy (Dynamo)	32	FontSite	2
Dynamo dy	32	FontSite Sans fn	37
E			
eb (Erbar Deco)	35	fontsite.sty	11
ed (Eldamar)	33	Franklin Gothic fg	36
ee (Egyptian)	32	free form	70
ef (Elefont)	33	free software	1
eg (Engravers Gothic)	33	fs (Function Script)	38
Egyptian ee	32	fs5ootex.map	6
e1 (Engravers Litho)	34	ft (Fette Fraktur)	35
Eldamar ed	33	fu (Function)	38
Elefont ef	33	Function fu	38
em (Embie)	33	Function Script fs	38
Embie em	33	Futura	38
Empire ATF ep	33		
encodings	2		
English Serif es	34		
Engravers Gothic eg	33		
Engravers Litho e1	34		
Engravers Old English eo	34		
Engravers Roman er	34		
eo (Engravers Old English)	34		
ep (Empire ATF)	33		
G			
ga (Gallia)	39		
Gallia ga	39		
garalde	69		
Garamond Condensed gd	39		
Garamond gm	39		
gd (Garamond Condensed)	39		
gg (Gillies Gothic)	40		
gh (Goudy Handtooled)	40		
Ghostscript	8		
Gill Sans	25		
Gillies Gothic gg	40		
g1 (Glytus)	40		
Glaser Stencil gs	40		
Glypha	40		
Glytus g1	40		

gm (Garamond)	39
go (Goudy Old Style)	41
Goudy Handtooled gh	40
Goudy Old Style go	41
Goudy Sans ys	41
gq (URW Grotesk)	42
gs (Glaser Stencil)	40
H	
Handel Gothic hg	42
Harlem Nights hn	42
hb (Hobo)	42
hg (Handel Gothic)	42
hm (Honeymoon)	42
hn (Harlem Nights)	42
ho (Horndon)	43
Hobo hb	42
Honeymoon hm	42
Horndon ho	43
hu (Hudson)	43
Hudson hu	43
Huxley Vertical hx	43
hx (Huxley Vertical)	43
I	
installing	5
Isabell iz	43
iz (Isabell)	43
J	
Jenson Recut jr	43
Jessica js	44
Joanna	44
jr (Jenson Recut)	43
js (Jessica)	44
K	
kg (Bank Gothic)	19
Kpathsea	5
kpsewhich	5
L	
l ^A T _E X	6
la (URW Latino)	45
Lanston Koch 1k	44
LanstonBell 1b	44
1b (LanstonBell)	44
1d (Linedraw Fixed)	46
1e (Legend)	45
Legend 1e	45
Letter Gothic 1g	45
1g (Letter Gothic)	45
1i (Litho Antique)	47
license	1
ligatures	8
Linden 1n	45
Linedraw Fixed 1d	46
Litho Antique 1i	47
1k (Lanston Koch)	44
1n (Linden)	45
1y (Lydian)	47
LY1 (tex' n' ansi) encoding	2
Lydian 1y	47
M	
Macintosh	9
me (Mercedes)	48
mediaeval	72
Melior	45
Melville mv	47
Mercedes me	48
Micro Square mq	48
Microgramma	48
MiK ^A T _E X	9
Mistral ms	48
mktexlsr	5
ml (Mona Lisa)	49
mo (Modern 216)	49
modern	70
Modern 216 mo	49
Mona Lisa ml	49
mq (Micro Square)	48
ms (Mistral)	48
Murray Hill	47
mv (Melville)	47
N	
nb (New Baskerville)	49
nc (Nicolas Cochin)	49
New Baskerville nb	49
News Gothic ng	50
NFSS	10
nfssfont	7
ng (News Gothic)	50
Nicolas Cochin nc	49
Nissan ns	50
ns (Nissan)	50

O

oc (OCR)	50
OCR oc.....	50
œ (Olde English).....	50
Old Town ot.....	51
old-style figures.....	67
Olde English œ.....	50
Onyx ox.....	51
op (Opus).....	51
Optima.....	51
Opus op.....	51
or (Orator).....	51
Orator or.....	51
‘osf’ option.....	10
ot (Old Town).....	51
oti (T _E X text) encoding.....	2
ox (Onyx).....	51

P

pa (Park Avenue)	52
packages.....	10
Paddington pd.....	51
Palatino	52
Parisian ps.....	52
Park Avenue pa.....	52
pb (Platinum Blonde)	54
pd (Paddington).....	51
pdfT _E X.....	7
pe (Pericles).....	52
Pericles pe	52
pg (ATF Peignot).....	52
ph (Phyllis).....	53
Phyllis ph.....	53
pi (Picto).....	53
Picto pi.....	53
Pinocchio pn.....	54
pk (Plakette)	54
p1 (URW Palladio)	52
plain T _E X.....	10
Plakette pk.....	54
Platinum Blonde pb.....	54
Platz bc.....	54
Plaza pz.....	55
plnfss.....	10
pn (Pinocchio).....	54
Postscript font binary (.pfb)	5
ps (Parisian).....	52
pu (Publicity).....	55
Publicity pu.....	55
pz (Plaza)	55

R

Reflex rx	55
‘rm’ option	10
ro (Road Signs)	56
Road Signs ro	56
Rosslaire rs	57
rs (Rosslaire)	57
rx (Reflex)	55

S

sa (Salut)	57
Sabon	57
Salut sa	57
sans serif	71
Savoy sv	57
Schneiderl	57
Schnittger sn	57
script	73
Sean Symbols ss	58
Serifa	59
Serific sf	59
sf (Serific)	59
‘sf’ option	10
slab serif	72
small caps	66
sn (Schnittger)	57
SoftMaker	2
ss (Sean Symbols)	58
st (Stop)	59
Stop st	59
Struktur sx	60
sv (Savoy)	57
sx (Struktur)	60
symbol	76
Syntax	60

T

ti (Cork) encoding	2
ta (Tarrington)	60
Tarrington ta	60
te (Teresita Script)	60
teT _E X	5
Teresita Script te	60
tex’ansi (ty1) encoding	2
T _E X base 1 encoding	2
T _E X directory structure (TDS)	5
T _E X font metrics (.tfm)	6
T _E X text (oti) encoding	2
texhash	5
texmf tree	5
text companion (tsi) encoding	2
ti (Ticonderoga)	60
Ticonderoga ti	60
Title Wave Studios	1
Toxic _A tx	60
transitional	69

ts1 (text companion) encoding	2	VAG Rounded vr	63
tu (Typo Upright)	61	ve (Vendome)	63
tx (Toxica)	60	Vendome ve	63
ty (Typewriter)	61	venetian	69
type 1 font	5	virtual fonts (.vf)	6
Typewriter ty	61	Vivaldi vv	63
Typo Upright tu	61	vr (VAG Rounded)	63
		vv (Vivaldi)	63
U			
un (Unitus)	62		
uncial	72	Walbaum wb	64
Unitus un	62	wb (Walbaum)	64
Univers	62	web2c	5
University Old Style uo	63	Windows	9
uo (University Old Style)	63	WinZip	9
updmap tool	6		
URW Antiqua aq	14		
URW Grotesk gq	42		
URW Latino 1a	45		
URW Palladio p1	52		
usepackage	10		
V			
W			
X			
X Windows	8		
xdvi	7		
Y			
ys (Goudy Sans)	41		